
Worktitude for light

HS1SR40SP840DBW

HANCE SEMIREC 4000 NW SP DALI WH.

Description:

Multi-directional semi-recessed projector model HANCE SEMIREC 4000 NW SP DALI WH., LAMP brand. Made of textured white color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with neutral white colour temperature and control DALI gear included. With Spot high purity aluminium reflector. Insulation class II.



Finish: Texturised white RAL 9010

Weight: 1.700 g

Installation: Semi-Recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 3.660 lm
 ⁰K:
 4000

 Plum:
 37,6W
 CRI:
 80

 Efficacy:
 97,3 lm/w
 MacAdam:
 3

 Type:
 COB
 Power Supply:
 220-240V 50/60Hz

 LED Lifetime:
 50.000 L80 B10 (Ta=25°C)
 Gear:
 Adjustable DALI

Power: 34W

Light output tolerance +/- 10%





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU


















HS1SR40SP840DBW


HANCE SEMIREC 4000 NW SP DALI WH.

PHOTOMETRIC DATA:

HS1SR40SP840NBW η = 100% Imax = 7085 cd/klm UTE:

CIE: 103 100 100 100 100





alpha = 16,6°	H (m)	D (m)	Emax	Emed
\wedge	1	0,29	24185	17094
	2	0,58	6046	4274
	3	0,88	2687	1899
	4	1,17	1512	1068



ACCESORIES:

Optical



Product code:

HSCU75



HANCE 3000/4000 ACC. CUTTING BEAM



Product code:

HSEL75



HANCE 3000/4000 ACC. ELIPTICAL LENS



Product code:

HSHO75



HANCE 3000/4000 ACC. HONEYCOMB GRILLE



Product code:

HSRI90C

Description:

HANCE 3000/4000 ACC. RING DECO CO.



Product code:

HSRI90M

Description:

HANCE 3000/4000 ACC. RING DECO MET.



Product code:

HSRI90W

Description:

HANCE 3000/4000 ACC. RING DECO WH.



Product code:

HSSL75

Description:

HANCE 3000/4000 ACC. SOFT LENS



Product code:

HSTR75

Description:

HANCE 3000/4000 ACC. DIF TRANS

Data according to regulations 2019/2020/EU and 2019/2015/EU