


HS1TK20SP840NBB

HANCE TRACK 220 2000 NW SP BK.
Description:

Multi-directional to adapt to three-phase track projector model HANCE TRACK 220 2000 NW SP BK., LAMP brand. Made of textured black color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with neutral white colour temperature and control gear included. With Spot high purity aluminium reflector. Insulation class I.

Finish: Texturised black RAL 9011

Weight: 650 g

Installation: 3-Circuit track

TECHNICAL SPECIFICATIONS:

Light output:	1.808 lm	°K :	4000
Plum:	20,7W	CRI :	80
Efficacy:	87,3 lm/w	MacAdam:	3
Type:	COB	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L80 B10 (Ta=25°C)	Gear:	Electronic
Power:	18W		


Light output tolerance +/- 10%


CUSTOM MADE OPTIONS:


HS1TK20SP840NBB

HANCE TRACK 220 2000 NW SP BK.

PHOTOMETRIC DATA :



ACCESORIES :**Assembly****Product code:**

TKATLODNB

TKATLODNG

Description:

TRACK ACC. EXT LEFT T JOINT BK.

TRACK ACC. EXT LEFT T JOINT GR.

ACCESORIES :**Optical****Product code:**

HSCU50

Description:

HANCE 1000/2000 ACC. CUTTING BEAM

**Product code:**

HSEL50

Description:

HANCE 1000/2000 ACC. ELIPTICAL LENS

**Product code:**

HSHO50

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE

**Product code:**

HSRI65C

Description:

HANCE 1000/2000 ACC. RING DECO CO.

**Product code:**

HSRI65M

Description:

HANCE 1000/2000 ACC. RING DECO MET.

**Product code:**

HSRI65W

Description:

HANCE 1000/2000 ACC. RING DECO WH.

**Product code:**

HSSL50

Description:

HANCE 1000/2000 ACC. SOFT LENS

**Product code:**

HSTR50

Description:

HANCE 1000/2000 ACC. DIF TRANS