


HS1TK30SP830DBW

HANCE TRACK 220 3000 WW SP DALI WH.
Description:

Multi-directional to adapt to three-phase track projector model HANCE TRACK 220 3000 WW SP DALI WH., LAMP brand. Made of textured white color painted injected aluminium. Passive dissipation for a proper thermal management. Model for LED COB, with warm white colour temperature and control DALI gear included. With Spot high purity aluminium reflector. Insulation class I.

Finish: Texturised white RAL 9010


Weight: 1.350 g

Installation: 3-Circuit track

TECHNICAL SPECIFICATIONS:

Light output:	2.788 lm	°K :	3000
Plum:	28,2W	CRI :	80
Efficacy:	98,9 lm/w	MacAdam:	3
Type:	COB	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L80 B10 (Ta=25°C)	Gear:	Adjustable DALI
Power:	25W		




Light output tolerance +/- 10%


CUSTOM MADE OPTIONS:


HS1TK30SP830DBW

HANCE TRACK 220 3000 WW SP DALI WH.

PHOTOMETRIC DATA :

<div><div>HS1TK30SP830NBW</div><div>η = 100%</div><div>Imax = 7238 cd/klm</div><div>UTE:</div><div>CIE: 103 100 100 100 100</div><div></div></div>	<div></div>	<div><div>alpha = 16,7°</div><div></div></div>	<table><tr><th>H (m)</th><th>D (m)</th><th>E_{max}</th><th>E_{med}</th></tr><tr><td>1</td><td>0,29</td><td>18298</td><td>12960</td></tr><tr><td>2</td><td>0,59</td><td>4575</td><td>3240</td></tr><tr><td>3</td><td>0,88</td><td>2033</td><td>1440</td></tr><tr><td>4</td><td>1,17</td><td>1144</td><td>810</td></tr></table>	H (m)	D (m)	E _{max}	E _{med}	1	0,29	18298	12960	2	0,59	4575	3240	3	0,88	2033	1440	4	1,17	1144	810
H (m)	D (m)	E _{max}	E _{med}																				
1	0,29	18298	12960																				
2	0,59	4575	3240																				
3	0,88	2033	1440																				
4	1,17	1144	810																				

ACCESORIES :

Assembly



Product code:
TKAAIDNB

Description:
TRACK ACC INT MAIN SUPPLY DALI/ONOFF BK




Product code:
TKAAIDNG

Description:
TRACK ACC INT MAIN SUPPLY DALI/ONOFF GR



Product code:
TKAAIDNW

Description:
TRACK ACC INT MAIN SUPPLY DALI/ONOFF WH



Product code:
TKAALDNB

Description:
TRACK ACC LEFT MAIN SUPPLY DALI/ONOFF BK



Product code:
TKAALDNG

Description:
TRACK ACC LEFT MAIN SUPPLY DALI/ONOFF GR



Product code:
TKAALDNW

Description:
TRACK ACC LEFT MAIN SUPPLY DALI/ONOFF WH



Product code:
TKAARDNB

Description:
TRACK ACC RIGHT MAIN SUPPL DALI/ONOFF BK



Product code:
TKAARDNG

Description:
TRACK ACC RIGHT MAIN SUPPL DALI/ONOFF GR



Product code:
TKAARDNW

Description:
TRACK ACC RIGHT MAIN SUPPL DALI/ONOFF WH

Product code:
TKACOB

Description:
TRACK ACC COVER INT SUPPLY REC N/D BK

Product code:	Description:	Product code:	Description:
TKACOG	TRACK ACC COVER INT SUPPLY REC N/D GR	TKACOW	TRACK ACC COVER INT SUPPLY REC N/D WH



Product code:	Description:
TKACTC	TRACK ACC. CUT TOOL COPPER



Product code:	Description:
TKACXB	TRACK ACC COVER "X" REC N/D BK



Product code:	Description:	Product code:	Description:
TKACXG	TRACK ACC COVER "X" REC N/D GR	TKACXW	TRACK ACC COVER "X" REC N/D WH



Product code:	Description:
TKAECB	TRACK ACC. END COVER BK.
TKAECG	TRACK ACC. END COVER GR.
TKAECW	TRACK ACC. END COVER WH.



Product code:	Description:
TKAJFDNB	TRACK ACC. FLEX CORNER BK.
TKAJFDNG	TRACK ACC. FLEX CORNER GR.
TKAJFDNW	TRACK ACC. FLEX CORNER WH.



Product code:	Description:
TKAJUDNB	TRACK ACC SRT W/O SP JOINT DALI/ONOFF BK



Product code:	Description:
TKAJUDNG	TRACK ACC SRT W/O SP JOINT DALI/ONOFF GR



Product code:
TKAJUDNW

Description:
TRACK ACC SRT W/O SP JOINT DALI/ONOFF WH



Product code:
TKALIDNB

Description:
TRACK ACC INT 90° CORNER DALI/ONOFF BK



Product code:
TKALIDNG

Description:
TRACK ACC INT 90° CORNER DALI/ONOFF GR



Product code:
TKALIDNW

Description:
TRACK ACC INT 90° CORNER DALI/ONOFF WH



Product code:
TKALODNB

Description:
TRACK ACC EXT 90° CORNER DALI/ONOFF BK



Product code:
TKALODNG

Description:
TRACK ACC EXT 90° CORNER DALI/ONOFF GR



Product code:
TKALODNW

Description:
TRACK ACC EXT 90° CORNER DALI/ONOFF WH



- Product code:**
- TKATLIDNB
 - TKATLIDNG
 - TKATLIDNW
 - TKATLODNB
 - TKATLODNG
 - TKATLODNW
 - TKATRIDNB
 - TKATRIDNG
 - TKATRIDNW
 - TKATRODNB
 - TKATRODNG
 - TKATRODNW

- Description:**
- TRACK ACC. INT LEFT T JOINT BK.
 - TRACK ACC. INT LEFT T JOINT GR.
 - TRACK ACC. INT LEFT T JOINT WH.
 - TRACK ACC. EXT LEFT T JOINT BK.
 - TRACK ACC. EXT LEFT T JOINT GR.
 - TRACK ACC. EXT LEFT T JOINT WH.
 - TRACK ACC. INT RIGHT T JOINT BK.
 - TRACK ACC. INT RIGHT T JOINT GR.
 - TRACK ACC. INT RIGHT T JOINT WH.
 - TRACK ACC. EXT RIGHT T JOINT BK.
 - TRACK ACC. EXT RIGHT T JOINT GR.
 - TRACK ACC. EXT RIGHT T JOINT WH.

**Product code:**

TKAXJDNB

TKAXJDNG


TKAXJDNW

Description:

TRACK ACC. X JOINT BK.

TRACK ACC. X JOINT GR.

TRACK ACC. X JOINT WH.

ACCESORIES :**Suspension****Product code:**

TKARG1000W

Description:

TRACK ACC. RIGID SUSP 1M WH.

**Product code:**

TKASUSSUB

Description:

TRACK ACC. SUSP SUPPORT BK.

**Product code:**

TKASUSSUW

Description:

TRACK ACC. SUSP SUPPORT WH.

**Product code:**

TKAWI3000B

Description:

TRACK ACC. STEEL CABLE 3M BK.

**Product code:**

TKAWI3000W

Description:

TRACK ACC. STEEL CABLE 3M WH.

ACCESORIES :**Support**



Product code:
TKASRSUB

Description:
TRACK ACC. SUR SUPPORT BK.

Product code:
TKASRSUG

Description:
TRACK ACC. SUR SUPPORT GR.



Product code:
TKASRSUW

Description:
TRACK ACC. SUR SUPPORT WH.



Product code:
TKASUSUG

Description:
TRACK ACC. SUSP SUPPORT GR.

ACCESSORIES :

Optical



Product code:
HSCU75

Description:
HANCE 3000/4000 ACC. CUTTING BEAM



Product code:
HSEL75

Description:
HANCE 3000/4000 ACC. ELIPTICAL LENS



Product code:
HSHO75

Description:
HANCE 3000/4000 ACC. HONEYCOMB GRILLE



Product code:
HSRI90B

Description:
HANCE 3000/4000 ACC. RING DECO BK.



Product code:
HSRI90C

Description:
HANCE 3000/4000 ACC. RING DECO CO.




Product code:
HSRI90M

Description:
HANCE 3000/4000 ACC. RING DECO MET.



Product code:
HSR190W

Description:
HANCE 3000/4000 ACC. RING DECO WH.



Product code:
HSSL75

Description:
HANCE 3000/4000 ACC. SOFT LENS



Product code:
HSTR75

Description:
HANCE 3000/4000 ACC. DIF TRANS