

## HS1TL05FL827DBW



## HANCE TRACK 48 500 VWW FL DALI WH.

#### Description:

Texturised white RAL 9010 Finish:

Weight: 150 g



Installation: 48V track

## **TECHNICAL SPECIFICATIONS:**

Light output: 324 lm °K: 2700 Plum: 6,1W CRI: 80 Efficacy: 53 lm/w MacAdam: 3

Type: HIGH POWER CREE Power Supply: 48V DC

LED Lifetime: 50.000 L90 Gear: Adjustable DALI

Power: 5W

#### Light output tolerance +/- 10%























# **CUSTOM MADE OPTIONS:**












## HS1TL05FL827DBW


## HANCE TRACK 48 500 VWW FL DALI WH.

#### **PHOTOMETRIC DATA:**

HS1TL05FL827NBW  $\eta$  = 100% Imax = 3758 cd/klm UTE:

CIE: 99 100 100 100 100





alpha = 26,6°	H (m)	D (m)	Emax	Emed
$\wedge$	1	0,47	1554	1060
	2	0,94	389	265
	3	1,42	173	118
	4	1,89	97	66



## ACCESORIES:

#### Optical



Product code:

HSCU25



HANCE 500 ACC. CUTTING BEAM



Product code:

HSHO25

Description:

HANCE 500 ACC. HONEYCOMB GRILLE



Product code:

HSRI40C



HANCE 500 ACC. RING DECO CO.



Product code:

HSRI40M

Description:

HANCE 500 ACC. RING DECO MET.



Product code:

HSRI40W

## Description:

HANCE 500 ACC. RING DECO WH.



Product code:

HSSL25

Description:

HANCE 500 ACC. SOFT LENS



Product code:

HSTR25

Description:

HANCE 500 ACC. DIF TRANS