

### HS1TL05SP827NBW



### HANCE TRACK 48 500 VWW SP WH.

### Description:

Multi-directional projector for low voltage track (48V) model HANCE TRACK 48 500 VWW SP WH., LAMP brand. Made of injected aluminium, painted in textured white colour. With quick connection system without the need for tools and passive dissipation for a pr oper thermal management. Model with LED High power with a warm white colour temperature of 2700K, Spot optics and control gear included. Insulation class III.

Finish: Texturised white RAL 9010

Weight: 150 g



Installation: 48V track

### **TECHNICAL SPECIFICATIONS:**

 Light output:
 314 lm
 ⁰K :
 2700

 Plum:
 6,1W
 CRI :
 80

 Efficacy:
 51 lm/w
 MacAdam:
 3

 Type:
 HIGH POWER CREE
 Power Supply:
 48V DC

 LED Lifetime:
 50.000 L90
 Gear:
 Electronic

Power: 5W

### Light output tolerance +/- 10%





















# **CUSTOM MADE OPTIONS:**












## HS1TL05SP827NBW

## HANCE TRACK 48 500 VWW SP WH.

## PHOTOMETRIC DATA:

HS1TL05SP827NBW  $\eta$  = 99% Imax = 10665 cd/klm

UTE: CIE: 103 100 100 100 99



alpha = 14,0°	H (m)	D (m)	Emax	Emed
$\wedge$	1	0,25	4258	2870
	2	0,49	1065	717
	3	0,74	473	319
	4	0,98	266	179



## **ACCESORIES:**

### Optical



Product code:

HSCU25



HANCE 500 ACC. CUTTING BEAM



Product code:

HSEL25



HANCE 500 ACC. ELIPTICAL LENS



Product code:

HSHO25

### Description:

HANCE 500 ACC. HONEYCOMB GRILLE



Product code:

HSRI40C

## Description:

HANCE 500 ACC. RING DECO CO.



Product code:

HSRI40M

# Description:

HANCE 500 ACC. RING DECO MET.



Product code:

HSRI40W

# Description:

HANCE 500 ACC. RING DECO WH.



Product code:

HSSL25

### Description:

HANCE 500 ACC. SOFT LENS



Product code:

HSTR25

Description:

HANCE 500 ACC. DIF TRANS

Data according to regulations 2019/2020/EU and 2019/2015/EU