# LAMP Worktitude for light


### HS1TL20MF840DBW



### HANCE TRACK 48 2000 NW MFL DALI WH.

### Description:

Multi-directional projector for low voltage track (48V) model HANCE TRACK 48 2000 NW MFL DALI WH., LAMP brand. Made of injected aluminium, painted in textured white colour. With quick connection system without the need for tools and passive dissipation for a p roper thermal management. Model with LED COB with a neutral white colour temperature, Meidum Flood high purity aluminium reflector and control DALI gear included. Insulation class III.



Finish: Texturised white RAL 9010

Weight: 435 g

Installation: 48V track

### **TECHNICAL SPECIFICATIONS:**

 Light output:
 1.695 lm
 ⁰K :
 4000

 Plum:
 16,9W
 CRI :
 80

 Efficacy:
 100,3 lm/w
 MacAdam:
 3

Type: COB Power Supply: 48V DC

**LED Lifetime:** 50.000 L80 B10 (Ta=25°C) **Power:** 18W

Light output tolerance +/- 10%

















Gear:

Adjustable DALI







# **CUSTOM MADE OPTIONS:**















# HS1TL20MF840DBW


### HANCE TRACK 48 2000 NW MFL DALI WH.


### PHOTOMETRIC DATA:

HS1TL20MF840NBW  $\eta$  = 100% Imax = 3433 cd/klm

UTE:

CIE: 100 100 100 100 100





alpha = 24,1°	H (m)	D (m)	Emax	Emed
$\wedge$	1	0,43	5819	3968
	2	0,85	1455	992
	3	1,28	647	441
	4	1,71	364	248



## **ACCESORIES:**

#### **Assembly**



Product code:

TLAMJB



Product code:

TLAMJW



TRACK 48V ACC. MECHANICAL JOINT WH.



Product code:

TLASUADNB



TRACK 48V ACC. MAIN SUPPLY DALI/ONOFF BK

TRACK 48V ACC. MECHANICAL JOINT BK.



Product code:

TLASUADNW

Description:

TRACK 48V ACC. MAIN SUPPLY DALI/ONOFF WH



Product code:

**TLASUECB** 

## Description:

TRACK 48V ACC. END COVER BK.



Product code:

**TLASUECCB** 

Description:

TRACK 48V ACC. END COVER CABLE BK.



Product code:

TLASUECCW

# Description:

TRACK 48V ACC. END COVER CABLE WH.



Product code:

**TLASUECW** 

Description:

TRACK 48V ACC. END COVER WH.



Product code:

TLASUIJDNB

Description:

TRACK 48V ACC. INTM JOINT DALI/ONOFF BK.



Product code:

TLASUIJDNW

Description:

TRACK 48V ACC. INTM JOINT DALI/ONOFF WH.





Product code:

**TLASULDNB** 



Product code:

TLASULDNW



TRACK 48V ACC. 90° CORNER DALI/ONOFF WH.



Product code:

TLASUWI1500B TLASUWI3000B TLSUWI1500B



Description:

SUSPENSION CABLE TRACK 48V 1500MM BK SUSPENSION CABLE TRACK 48V 3000MM BK SUSPENSION CABLE TRACK 48V 1500MM BK

TRACK 48V ACC. 90° CORNER DALI/ONOFF BK.



Product code:

TLASUWI1500W TLASUWI3000W



SUSPENSION CABLE TRACK 48V 1500MM WH SUSPENSION CABLE TRACK 48V 3000MM WH



Product code:

TLASUXJDNB



TRACK 48V ACC. X JOINT DALI/ONOFF BK.



Product code:

TLASUXJDNW



TRACK 48V ACC. X JOINT DALI/ONOFF WH.



Product code:

TLSUPR1000DNB TLSUPR2000DNB

# Description:

TRACK 48V DALI/ONOFF 1M BK.
TRACK 48V DALI/ONOFF 2M BK.



Product code:

TLSUPR1000DNW TLSUPR2000DNW

#### Description:

TRACK 48V DALI/ONOFF 1M WH.
TRACK 48V DALI/ONOFF 2M WH.

### **ACCESORIES:**

### Optical



Product code:

HSCU50

Description:

HANCE 1000/2000 ACC. CUTTING BEAM



Product code:

HSHO50

Description:

HANCE 1000/2000 ACC. HONEYCOMB GRILLE

### **Product datasheet**





Product code:

HSRI65C

### Description:

HANCE 1000/2000 ACC. RING DECO CO.



Product code:

HSRI65M

### Description:

HANCE 1000/2000 ACC. RING DECO MET.



Product code:

HSRI65W

### Description:

HANCE 1000/2000 ACC. RING DECO WH.



Product code:

HSSL50

# Description:

HANCE 1000/2000 ACC. SOFT LENS



Product code:

Description:

HSTR50 HANCE 1000/2000 ACC. DIF TRANS



### **ACCESORIES:**

# Adjustment and control



Product code:

TLDRV2010048N

Description:

DRIVER 100W 48V 220-240V NR IND LIN



Product code: TLDRV2015048N

Description:

DRIVER 150W 48V 220-240V NR IND