

HS2SF20FL940DB



HANCE G2 SUR 2000 9NW FL DALI BK

Description:

LAMP surface multidirectional spotlight HANCE G2 SUR 2000. Allowing 355° rotation and tilting up to 90°. Body made of die-cast aluminium for proper thermal management. Black polycarbonate injection moulded anti-glare ring. 35° flood reflector. LED COB, 4000K and CRI90. Electronic DALI control gear included.IP20, IK07 ratings. Insulation Class I. LED life time: 72.000 L80B10 (Ta=25°C). Available finishes: Textured white and textured black.



Finish: Texturised black RAL 9011

Installation: Surface

TECHNICAL SPECIFICATIONS:

| Light output: | 2.022 lm | ⁰К: | 4000 |
|---------------|-------------------------|---------------|------------------|
| Plum: | 20,8W | CRI : | 90 |
| Efficacy: | 97,2 lm/w | R9 : | 66 |
| Туре: | СОВ | MacAdam: | 3 |
| LED Lifetime: | 72.000 L80B10 (Ta=25ºC) | Power Supply: | 220-240V 50/60Hz |
| Power: | 18W | Gear: | Adjustable DALI |

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:







HS2SF20FL940DB

HANCE G2 SUR 2000 9NW FL DALI BK

PHOTOMETRIC DATA :





ACCESORIES :

Optical



Product code: HSCU50





Product code: HSHO50

Description: HANCE 1000/2000 ACC. HONEYCOMB GRILLE



Product code:

HSRI65C

Description: HANCE 1000/2000 ACC. RING DECO CO.



Product code: HSRI65M

Description: HANCE 1000/2000 ACC. RING DECO MET.



Product code: HSRI65W





Product code: HSSL50

Description: HANCE 1000/2000 ACC. SOFT LENS



Product code: HSTR50

Description: HANCE 1000/2000 ACC. DIF TRANS