

## KOMBIC 100 SURFACE

K11SF1523RW940DBB

- KOM 100 SF 1500 IP23 9NW RF WFL DA BK/BK


**Description:****Finish:** Matte black RAL 9011**Weight:** 712 g**Installation:** Recessed**TECHNICAL SPECIFICATIONS:**

<b>Light output:</b>	1.299 lm	<b>°K :</b>	4000
<b>Plum:</b>	13,9W	<b>CRI :</b>	90
<b>Efficacy:</b>	93,4 lm/w	<b>R9 :</b>	65
<b>UGR:</b>	<19	<b>MacAdam:</b>	3
<b>Type:</b>	COB	<b>Power Supply:</b>	220-240V 50/60Hz
<b>LED Lifetime:</b>	50.000 L80 B10 (Ta=25°C)	<b>Gear:</b>	Adjustable DALI
<b>Power:</b>	13W		

**Light output tolerance +/- 10%**

K11SF1523RW940DBB      KOM 100 SF 1500 IP23 9NW RF WFL DA BK/BK

PHOTOMETRIC DATA :



KOMBIC 100 SURFACE

ACCESORIES :

Suspension



Product code:  
K11SUADLATBK

Description:  
KOMBIC 100 SF ADAPT. LATERAL CABLE BK



Product code:  
K11SUADLATWH

Description:  
KOMBIC 100 SF ADAPT. LATERAL CABLE WH