

## KOMBIC 100 SURFACE

K11SF2023RF830NBW

- KOMBIC 100 SF 2000 IP23 WW RF FL BK/WH

---

Description:**Finish:** Matte black RAL 9011**Weight:** 502 g

---

**Installation:** Surface

---

TECHNICAL SPECIFICATIONS:

<b>Light output:</b>	1.549 lm	<b>°K :</b>	3000
<b>Plum:</b>	14,1W	<b>CRI :</b>	80
<b>Efficacy:</b>	109,8 lm/w	<b>R9 :</b>	80
<b>UGR:</b>	<19	<b>MacAdam:</b>	3
<b>Type:</b>	COB	<b>Power Supply:</b>	220-240V 50/60Hz
<b>LED Lifetime:</b>	50.000 L80 B10 (Ta=25°C)	<b>Gear:</b>	Electronic
<b>Power:</b>	13W		

*Light output tolerance +/- 10%*

---




KOMBIC 100 SURFACE

K11SF2023RF830NBW

KOMBIC 100 SF 2000 IP23 WW RF FL BK/WH

PHOTOMETRIC DATA :



KOMBIC 100 SURFACE

ACCESORIES :

Suspension



Product code:  
K11SUADLATBK

Description:  
KOMBIC 100 SF ADAPT. LATERAL CABLE BK



Product code:  
K11SUADLATWH

Description:  
KOMBIC 100 SF ADAPT. LATERAL CABLE WH