

## KOMBIC 100 SURFACE

K11SF2023RW927NWB

- KOMBIC 100 SF 2000 IP23 9VWW RF WFL W/B

---

Description:**Finish:** Matte white RAL 9010**Weight:** 502 g

---

**Installation:** Surface

---

TECHNICAL SPECIFICATIONS:

<b>Light output:</b>	1.710 lm	<b>°K :</b>	2700
<b>Plum:</b>	21,6W	<b>CRI :</b>	90
<b>Efficacy:</b>	79,1 lm/w	<b>R9 :</b>	58
<b>Type:</b>	COB	<b>MacAdam:</b>	3
<b>LED Lifetime:</b>	50.000 L70 B10 (Ta=25°C)	<b>Power Supply:</b>	220-240V 50/60Hz
<b>Power:</b>	13W	<b>Gear:</b>	Electronic

*Light output tolerance +/- 10%*


---



K11SF2023RW927NWB

KOMBIC 100 SF 2000 IP23 9VWW RF WFL W/B

PHOTOMETRIC DATA :



KOMBIC 100 SURFACE

ACCESORIES :

Suspension



Product code:  
K11SUADLATBK

Description:  
KOMBIC 100 SF ADAPT. LATERAL CABLE BK



Product code:  
K11SUADLATWH

Description:  
KOMBIC 100 SF ADAPT. LATERAL CABLE WH