Product datasheet

KOMBIC 100 SURFACE

Worktitude for light

K11SF2040WF830NWB

KOMBIC 100 SF 2000 IP43 WW WFL WH/BK

Description:

Suspended or ceiling mounting downlight model KOMBIC 100 SF by Lamp brand. Body made of black aluminum extrusion with reflector made of recycled polycarbonate R-PC FR WHITE TM non-brominated flame retardant additive. Flammability grade V0 according to UL94. White interior reflector. Heatsink made of die-cast aluminium. COB LED, colour temperature 3000K with CRI80. Luminaire with electronic wiring included. Insolation Class I. Lifetime: 50.000 L80 B10. With IP43 degree of protection. Group 0 photobiological safety. With Wide Flood optics to achieve a controlled light distribution and low UGR<19. Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

Finish: Matte white RAL 9010

Weight: 502 g



Installation: Surface

TECHNICAL SPECIFICATIONS:

Light output:	1.275 lm	**ºK :**	3000
Plum:	14,5W	**CRI :**	80
Efficacy:	87,9 lm/w	**MacAdam:**	3
UGR:	<19	**Power Supply:**	220-240V 50/60Hz
Type:	COB	**Gear:**	Electronic
LED Lifetime:	50.000 L80 B10 (Ta=25ºC)		
Power:	12W		

Light output tolerance +/- 10%

CUSTOM MADE OPTIONS:

KOMBIC 100 SURFACE

K11SF2040WF830NWB **KOMBIC 100 SF 2000 IP43 WW WFL WH/BK**

PHOTOMETRIC DATA :









KOMBIC 100 SURFACE

ACCESORIES :

Suspension

Product code:	Description:
K1SUCARG0500DB	KOMBIC 100 SF ACC ELEC 5P RIGI SUS 0.5 B
K1SUCARG0500NB	KOMBIC 100 SF ACC ELEC 3P RIGI SUS 0.5 B
K1SUCARG1000DB	KOMBIC 100 SF ACC ELEC 5P RIGI SUS 1M BK
K1SUCARG1000NB	KOMBIC 100 SF ACC ELEC 3P RIGI SUS 1M BK

Product code:	Description:
K1SUCARG0500DW	KOMBIC 100 SF ACC ELEC 5P RIGI SUS 0.5 W
K1SUCARG0500NW	KOMBIC 100 SF ACC ELEC 3P RIGI SUS 0.5 W
K1SUCARG1000DW	KOMBIC 100 SF ACC ELEC 5P RIGI SUS 1M WH
K1SUCARG1000NW	KOMBIC 100 SF ACC ELEC 3P RIGI SUS 1M WH

Product code:	Description:
K1SUCAWI2000DB	KOMBIC 100 SF ACC. ELEC 5P SUSP 2M BK.
K1SUCAWI2000NB	KOMBIC 100 SF ACC. ELEC 3P SUSP 2M BK.

Product code:	Description:
K1SUCAWI2000DW	KOMBIC 100 SF ACC. ELEC 5P SUSP 2M WH.
K1SUCAWI2000NW	KOMBIC 100 SF ACC. ELEC 3P SUSP 2M WH.

LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es

Data according to regulations 2019/2020/EU and 2019/2015/EU