

## KOMBIC 150 SURFACE


K21SF3040WF840DBW




## KOMBIC 150 SF 2800 IP43 NW WFL DA BK/WH

**Description:**

Suspended or ceiling mounting downlight model KOMBIC 150 SF by Lamp brand. Body made of white aluminum extrusion with reflector made of recycled polycarbonate R-PC FR WHITE TM non-brominated flame retardant additive. Flammability grade V0 according to UL94. Black interior reflector. Heatsink made of die-cast aluminium. COB LED, colour temperature 4000K with CRI80. Luminaire with electronic wiring Dali included. Insolation Class I. Lifetime: >100.000 L90 B10. With IP43 degree of protection. Group 0 photobiological safety. With Wide Flood optics to achieve a controlled light distribution and low glare level, less than UGR<19. Environmental Product Declaration - EPD@available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

**Finish:** Matte black RAL 9011**Weight:** 1.738 g**Installation:** Surface**TECHNICAL SPECIFICATIONS:**


|                      |                             |                      |                  |
|----------------------|-----------------------------|----------------------|------------------|
| <b>Light output:</b> | 1.780 lm                    | <b>°K :</b>          | 4000             |
| <b>Plum:</b>         | 13,5W                       | <b>CRI :</b>         | 80               |
| <b>Efficacy:</b>     | 131,9 lm/w                  | <b>MacAdam:</b>      | 3                |
| <b>UGR:</b>          | <19                         | <b>Power Supply:</b> | 220-240V 50/60Hz |
| <b>Type:</b>         | COB                         | <b>Gear:</b>         | Adjustable DALI  |
| <b>LED Lifetime:</b> | >100.000h L90 B10 (Ta=25°C) |                      |                  |
| <b>Power:</b>        | 11,7W                       |                      |                  |

**Light output tolerance +/- 10%****CUSTOM MADE OPTIONS:**

K21SF3040WF840DBW

KOMBIC 150 SF 2800 IP43 NW WFL DA BK/WH

PHOTOMETRIC DATA :



ACCESORIES :

Suspension



**Product code:**  
K21SUADLATBK

**Description:**  
KOMBIC 150 SF ADAPT. LATERAL CABLE BK



**Product code:**  
K21SUADLATWH

**Description:**  
KOMBIC 150 SF ADAPT. LATERAL CABLE WH



**Product code:**  
K2SUCARG0500DB  
K2SUCARG0500NB  
K2SUCARG1000DB  
K2SUCARG1000NB

**Description:**  
KOMBIC 150 SF ACC ELEC 5P RIGI SUS 0.5 B  
KOMBIC 150 SF ACC ELEC 3P RIGI SUS 0.5 B  
KOMBIC 150 SF ACC ELEC 5P RIGI SUS 1M B  
KOMBIC 150 SF ACC ELEC 3P RIGI SUS 1M B



**Product code:**  
K2SUCARG0500DW  
K2SUCARG0500NW  
K2SUCARG1000DW  
K2SUCARG1000NW

**Description:**  
KOMBIC 150 SF ACC ELEC 5P RIGI SUS 0.5 W  
KOMBIC 150 SF ACC ELEC 3P RIGI SUS 0.5 W  
KOMBIC 150 SF ACC ELEC 5P RIGI SUS 1M W  
KOMBIC 150 SF ACC ELEC 3P RIGI SUS 1M W



**Product code:**  
K2SUCAWI2000DB  
K2SUCAWI2000NB

**Description:**  
KOMBIC 150 SF ACC. ELEC 5P SUSP 2M BK.  
KOMBIC 150 SF ACC. ELEC 3P SUSP 2M BK.



**Product code:**  
K2SUCAWI2000DW  
K2SUCAWI2000NW

**Description:**  
KOMBIC 150 SF ACC. ELEC 5P SUSP 2M WH  
KOMBIC 150 SF ACC. ELEC 3P SUSP 2M WH.