

# KOMBIC 150 SURFACE

K21SF3040WF930NMW



## KOMBIC 150 SF 3200 IP43 9WW WFL MA/WH


### Description:

Suspended or ceiling mounting downlight model KOMBIC 150 SF by Lamp brand. Body made of white aluminum extrusion with reflector made of recycled polycarbonate R-PC FR WHITE TM non-brominated flame retardant additive. Flammability grade V0 according to UL94. Matte metallic interior reflector . Heatsink made of die-cast aluminium. COB LED, colour temperature 3000K with CRI90. Luminaire with electronic wiring included. Insolation Class I. Lifetime: 50.000 L70 B10. With IP43 degree of protection. Group 0 photobiological safety. With Wide Flood optics to achieve a controlled light distribution and low UGR<19. Environmental Product Declaration - EPD@available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

**Finish:** metalized polycarbonate mate

**Weight:** 1.738 g

**Installation:** Surface



### TECHNICAL SPECIFICATIONS:

<b>Light output:</b>	1.784 lm	<b>°K :</b>	3000
<b>Plum:</b>	28W	<b>CRI :</b>	90
<b>Efficacy:</b>	63,7 lm/w	<b>MacAdam:</b>	3
<b>UGR:</b>	<19	<b>Power Supply:</b>	220-240V 50/60Hz
<b>Type:</b>	COB	<b>Gear:</b>	Electronic
<b>LED Lifetime:</b>	50.000 L70 B10 (Ta=25°C)		
<b>Power:</b>	25W		

*Light output tolerance +/- 10%*



### CUSTOM MADE OPTIONS:










# KOMBIC 150 SURFACE

K21SF3040WF930NMW

KOMBIC 150 SF 3200 IP43 9WW WFL MA/WH

**PHOTOMETRIC DATA :**

K21SF3040WF930NMW  
 $\eta = 100\%$   
 $I_{max} = 1186 \text{ cd/klm}$   
 UTE:  
 CIE: 98 100 100 100 100



**ACCESORIES :**

**Suspension**



**Product code:**

K2SUCARG0500DB  
K2SUCARG0500NB  
K2SUCARG1000DB  
K2SUCARG1000NB

**Description:**

KOMBIC 150 SF ACC ELEC 5P RIGI SUS 0.5 B  
KOMBIC 150 SF ACC ELEC 3P RIGI SUS 0.5 B  
KOMBIC 150 SF ACC ELEC 5P RIGI SUS 1M B  
KOMBIC 150 SF ACC ELEC 3P RIGI SUS 1M B



**Product code:**

K2SUCARG0500DW  
K2SUCARG0500NW  
K2SUCARG1000DW  
K2SUCARG1000NW

**Description:**

KOMBIC 150 SF ACC ELEC 5P RIGI SUS 0.5 W  
KOMBIC 150 SF ACC ELEC 3P RIGI SUS 0.5 W  
KOMBIC 150 SF ACC ELEC 5P RIGI SUS 1M W  
KOMBIC 150 SF ACC ELEC 3P RIGI SUS 1M W



**Product code:**

K2SUCAWI2000DB  
K2SUCAWI2000NB

**Description:**

KOMBIC 150 SF ACC. ELEC 5P SUSP 2M BK.  
KOMBIC 150 SF ACC. ELEC 3P SUSP 2M BK.



**Product code:**

K2SUCAWI2000DW  
K2SUCAWI2000NW

**Description:**

KOMBIC 150 SF ACC. ELEC 5P SUSP 2M WH  
KOMBIC 150 SF ACC. ELEC 3P SUSP 2M WH.