KOMBIC 200 DOWNLIGHT

K31RD2040OP9TWDMW




KOMBIC 200 RD 2000 IP44 TW OPAL DA MA/WH

Description:

Round Recessed downlight model KOMBIC 200 RD, LAMP brand. Interior diffuser made of opal methacrylate specially for LED and matt metallic reflector. Passive dissipation for a proper thermal management and subjection system type TOR KIT with easy installation. Model for LED MID-POWER with a TW colour (2700K a 6500K) and CRI 90 DALI DT8 adjustable DALI equipment incorporated. IP44 protection rating. Insulation class II. Lifetime: 50.000h L90 B10

Finish: metalized polycarbonate mate



Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output: 1.355 lm °K: 2700-6500

Plum: 15,5W CRI: 90 Efficacy: 87,4 lm/w 3 MacAdam:

UGR: <19 Power Supply: 220-240V 50-60Hz Type: MID POWER LED Gear: Adjustable DALI DT8

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

12W Power:

Light output tolerance +/- 10%

ΙP **LED**





















CUSTOM MADE OPTIONS:



















KOMBIC 200 DOWNLIGHT



K31RD2040OP9TWDMW


KOMBIC 200 RD 2000 IP44 TW OPAL DA MA/WH

PHOTOMETRIC DATA:

KO1RD208TWDMAW_4000K η = 100% lmax = 678 cd/klm

UTE: 1,00B

CIE: 73 98 100 100 100



alpha = 76,4°

H (m)	D (m)	Emax	Emed
1	1,57	918	466
2	3,15	230	116
3	4,72	102	52
4	6,30	57	29

KOMBIC 200 DOWNLIGHT



ACCESORIES:

Optical



Product code: ADRD250W Description:

KOMBIC ACC. Ø250 ADAPTER RING WH.



Product code:

Description:

DITRRD240B DOMO 220/KOMBIC ACC.TRANSP GLASS BK.



Product code:

Description:

DITRRD240G DOMO 220/KOMBIC ACC.TRANSP GLASS GR.

DITRRD240W DOMO 220/KOMBIC ACC.TRANSP GLASS WH.



Product code: RIRD240B Description:

DOMO 220/KOMBIC ACC. DECO RING BK.



Product code:

Description:

RIRD240G DOMO 220/KOMBIC ACC. DECO RING GR.
RIRD240W DOMO 220/KOMBIC ACC. DECO RING WH.

Data according to regulations 2019/2020/EU and 2019/2015/EU