Product datasheet

KOMBIC 200 DOWNLIGHT

K31RD3040OP840DRW

KOMBIC 200 RD 3000 IP44 NW OPAL DA BR/WH


Description:



Round Recessed downlight model KOMBIC 200 RD, LAMP brand. Interior diffuser made of opal polycarbonate specially for LED, injection aluminium dissipator and torkit type easy-fit fastening system. Model for MID-POWER LED, with 4000K colour temperature and CRI 80 and control DALI gear included. IP44 protection rating. Insulation class II. Lifetime: 50.000h L80 B10

 Finish:
 BRILLIANT METALLIC POLYCARBONATE

 Weight:
 976
 g




Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	2.171 lm	⁰К:	4000
Plum:	18,1W	CRI :	80
Efficacy:	119,9 lm/w	MacAdam:	3
UGR:	<19	Power Supply:	220-240V 50/60Hz
Туре:	MID POWER LED	Gear:	Adjustable DALI
LED Lifetime:	50.000 L80 B10 (Ta=25°C)		
Power:	17W		

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light

KOMBIC 200 DOWNLIGHT

K31RD3040OP840DRW

KOMBIC 200 RD 3000 IP44 NW OPAL DA BR/WH



PHOTOMETRIC DATA :

9241360	180°	alpha = 54,5°	H (m)	D (m)	Emax	Emed
η = 100% Imax = 944 cd/klm			1	1,03	2045	1258
UTE: 1,00B + 0,00T	90° 90°		2	2,06	511	315
CIE: 78 97 99 100 100			3	3,09	227	140
	0°		4	4,12	128	79

KOMBIC 200 DOWNLIGHT

ACCESORIES :

Optical



Product code: ADRD250W

Product code:

DITRRD240G

DITRRD240W

Description: KOMBIC ACC. Ø250 ADAPTER RING WH.



Product code: DITRRD240B

Description: DOMO 220/KOMBIC ACC.TRANSP GLASS BK.

Worktitude for light







Product code: RIRD240B





Product code:Description:RIRD240GDOMO 220/KOMBIC ACC. DECO RING GR.RIRD240WDOMO 220/KOMBIC ACC. DECO RING WH.

Product datasheet

KOMBIC 200 DOWNLIGHT





LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es