

KOMBIC 200 DOWNLIGHT

K31RD30400P9TWDRW




KOMBIC 200 RD 3000 IP45 TW OPAL DA BR/WH


Description:

Round Recessed downlight model KOMBIC 200 RD, LAMP brand. Interior diffuser made of opal methacrylate specially for LED and bright metallic reflector. Passive dissipation for a proper thermal management and subsection system type TOR KIT with easy installation. Model for LED MID-POWER with a TW colour (2700K a 6500K) and CRI 90 DALI DT8 adjustable equipment incorporated. IP44 protection rating. Insulation class II. Lifetime: 50.000h L80 B10

Finish: BRILLIANT METALLIC POLYCARBONATE

Installation: Recessed
**TECHNICAL SPECIFICATIONS:**

Light output:	2.161 lm	°K :	2700-6500
Plum:	22,4W	CRI :	90
Efficacy:	96,5 lm/w	MacAdam:	3
UGR:	<19	Power Supply:	220-240V 50-60Hz
Type:	MID POWER LED	Gear:	Adjustable DALI DT8
LED Lifetime:	50.000 L80 B10 (Ta=25°C)		
Power:	18W		


Light output tolerance +/- 10%
**CUSTOM MADE OPTIONS:**

KOMBIC 200 DOWNLIGHT

K31RD3040OP9TWDRW

KOMBIC 200 RD 3000 IP45 TW OPAL DA BR/WH

PHOTOMETRIC DATA :



ACCESORIES :

Optical




Product code:

ADRD250W

Description:

KOMBIC ACC. Ø250 ADAPTER RING WH.



Product code:

DITRRD240B

Description:

DOMO 220/KOMBIC ACC. TRANSP GLASS BK.



Product code:

DITRRD240G

Description:

DOMO 220/KOMBIC ACC. TRANSP GLASS GR.

DITRRD240W

DOMO 220/KOMBIC ACC. TRANSP GLASS WH.



Product code:

RIRD240B

Description:

DOMO 220/KOMBIC ACC. DECO RING BK.



Product code:

RIRD240G

Description:

DOMO 220/KOMBIC ACC. DECO RING GR.

RIRD240W

DOMO 220/KOMBIC ACC. DECO RING WH.