Product datasheet

KOMBIC 200 DOWNLIGHT

K31RD5040OP830NRW

KOMBIC 200 RD 5000 IP44 WW OPAL BR/WH

Description:



Round recessed downlight model KOMBIC 200 RD, LAMP brand. Interior diffuser made of opal methacrylate specially for LED and bright metallic reflector, injection aluminium dissipator and TOR KIT type easy-fit fastening system. Model for MID POWER LED, with 3000K colour temperature and CRI 80 and control gear included. IP44 protection rating. Insulation class II. Lifetime: 50.000h L70 B10

Finish: BRILLIANT METALLIC POLYCARBONATE
Weight: 1.536 g



Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	3.735 lm	°К :	3000	
Plum:	38,1W	CRI :	80	
Efficacy:	98 lm/w	MacAdam:	3	
Туре:	MID POWER LED	Power Supply:	220-240V 50/60Hz	
LED Lifetime:	50.000 L70 B10 (Ta=25°C)	Gear:	Electronic	
Power:	36W			

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light

KOMBIC 200 DOWNLIGHT

K31RD5040OP830NRW

KOMBIC 200 RD 5000 IP44 WW OPAL BR/WH



PHOTOMETRIC DATA :

9241520	180°	alpha = 53,6°	H (m)	D (m)	Emax	Emed
η = 100% Imax = 976 cd/klm			1	1,01	3643	2297
UTE: 1,00B + 0,00T	90° 90°		2	2,02	911	574
CIE: 80 98 100 100 100			3	3,03	405	255
	0°		4	4,04	228	144

KOMBIC 200 DOWNLIGHT

ACCESORIES :

Optical



Product code: ADRD250W

Product code:

DITRRD240G

DITRRD240W

Description: KOMBIC ACC. Ø250 ADAPTER RING WH.



Product code: DITRRD240B

Description: DOMO 220/KOMBIC ACC.TRANSP GLASS BK.

Worktitude for light







Product code: RIRD240B





Product code:Description:RIRD240GDOMO 220/KOMBIC ACC. DECO RING GR.RIRD240WDOMO 220/KOMBIC ACC. DECO RING WH.

Product datasheet

KOMBIC 200 DOWNLIGHT





LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es