

## KOMBIC 200 DOWNLIGHT

K31SQ30400P830DRW




fig. 1


## KOMBIC 200 SQ 3000 IP44 WW OPAL DA BR/WH

**Description:**

Square recessed downlight model KOMBIC 200 SQ, LAMP brand. Interior diffuser made of opal polycarbonate specially for LED, injection aluminium dissipator and torkit type easy-fit fastening system. Model for MID-POWER LED, with 3000K colour temperature and CRI 80 and control gear included. IP44 protection rating. Insulation class II. Lifetime: 50.000h L80 B10

**Finish:** BRILLIANT METALLIC POLYCARBONATE**Weight:** 822 g**Installation:** Recessed**TECHNICAL SPECIFICATIONS:**

<b>Light output:</b>	1.522 lm	<b>°K :</b>	3000
<b>Plum:</b>	18,1W	<b>CRI :</b>	80
<b>Efficacy:</b>	84,1 lm/w	<b>MacAdam:</b>	3
<b>Type:</b>	MID POWER LED	<b>Power Supply:</b>	220-240V 50/60Hz
<b>LED Lifetime:</b>	50.000 L80 B10 (Ta=25°C)	<b>Gear:</b>	Adjustable DALI
<b>Power:</b>	17W		


*Light output tolerance +/- 10%***CUSTOM MADE OPTIONS:**

KOMBIC 200 DOWNLIGHT

K31SQ30400P830DRW

KOMBIC 200 SQ 3000 IP44 WW OPAL DA BR/WH

PHOTOMETRIC DATA :



## ACCESORIES :

### Assembly



**Product code:**

BORE404

**Description:**

DOMO SQ/KOMBIC SQ ACC. REC BOX

## ACCESORIES :

### Optical



**Product code:**

DITRSQ240B

**Description:**

DOMO SQ/KOMBIC SQ ACC. TRANSP GLASS BK.



**Product code:**

DITRSQ240W

**Description:**

DOMO SQ/KOMBIC SQ ACC. TRANSP GLASS WH.



**Product code:**

FRSQ235B

**Description:**

DOMO SQ/KOMBIC SQ ACC. DECO FRAME BK.



**Product code:**

FRSQ235W

**Description:**

DOMO SQ/KOMBIC SQ ACC. DECO FRAME WH.