KOMBIC 200 DOWNLIGHT


K31SQ4040OP840DRW



KOMBIC 200 SQ 4000 IP44 NW OPAL DA BR/WH

Description:

Square recessed downlight model KOMBIC 200 SQ, LAMP brand. Interior diffuser made of opal polycarbonate specially for LED, injection aluminium dissipator and torkit type easy-fit fastening system. Model for MID-POWER LED, with 3000K colour temperature and CRI 80 and control DALI gear included. IP44 protection rating. Insulation class II. Lifetime: 50.000h L80 B10



BRILLIANT METALLIC POLYCARBONATE Finish:

Weight: 822 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output: 2.131 lm °K: 4000 Plum: 25,4W CRI: 80 Efficacy: 83,9 lm/w 3 MacAdam:

Type: MID POWER LED Power Supply: 220-240V 50/60Hz LED Lifetime: 50.000 L80 B10 (Ta=25°C) Gear: Adjustable DALI

24W Power:

Light output tolerance +/- 10%

























CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU














KOMBIC 200 DOWNLIGHT





K31SQ4040OP840DRW

KOMBIC 200 SQ 4000 IP44 NW OPAL DA BR/WH

PHOTOMETRIC DATA:







_					
	H (m)	D (m)	Emax	Emed	
	1	2,02	1134	489	
	2	4,04	284	122	
	3	6,06	126	54	
	4	8,08	71	31	

Product datasheet

KOMBIC 200 DOWNLIGHT



ACCESORIES:

Assembly



Product code: Description:

BORE404 DOMO SQ/KOMBIC SQ ACC. REC BOX

ACCESORIES:

Optical



Product code: Description:

DITRSQ240B DOMO SQ/KOMBIC SQ ACC. TRANSP GLASS BK. DITRSQ240W




Product code: Description:

ITRSQ240W DOMO SQ/KOMBIC SQ ACC. TRANSP GLASS WH.



Product code: Description:

FRSQ235B DOMO SQ/KOMBIC SQ ACC. DECO FRAME BK.



Product code: Description:

FRSQ235W DOMO SQ/KOMBIC SQ ACC. DECO FRAME WH.

Data according to regulations 2019/2020/EU and 2019/2015/EU