
KOMBIC 200 SURFACE

K32SF3020OP840NRW



ø197 mm

230



Description:

Round recessed downlight KOMBIC 200 G2 SF 3000 Reflector made of recycled polycarbonate. Inner reflector finished in bright metallized. Elliptical optic option is the perfect choice for lighting walkways and longitudinal areas such as counters or areas adjacent to work areas. This product allows for increased spacing between luminaires, reducing the effect of residual light on walls and providing a pleasant atmosphere in the space. Heatsink made of die-cast aluminium with black finish. COB LED, colour temperature 4000K and CRI80.Electronic ON OFF gear included. IP44 rated. Insulation Class II. Photobiological safety group 0. LED life time: 82.000 L80 B10. Available finish: White.Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

Finish: BRILLIANT METALLIC POLYCARBONATE

Weight: 1.475 g

Installation: Surface

TECHNICAL SPECIFICATIONS:

Light output:	2.304 lm	°K :	4000
Plum:	16,7W	CRI :	80
Efficacy:	138 lm/w	MacAdam:	3
UGR:	<19	Power Supply:	220-240V 50/60Hz
Туре:	СОВ	Gear:	Electronic
LED Lifetime:	82.000 L80 B10 (Ta=25°C)		
Power:	14,5W		

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:




LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light

KOMBIC 200 SURFACE

K32SF3020OP840NRW

KOMBIC 200 G2 SF 3000 IP20 NW OP BR/WH





Worktitude for light

KOMBIC 200 SURFACE

ACCESORIES :

Assembly



Product code: K3SUCOW Description: KOMBIC 200 SF ACC. COVER

ACCESORIES : Suspension



Product code: SUCARG0100G SUCARG0250G SUCARG0500G

Description: ACC. ELECMEC RIGID SUSP 100MM GR. ACC. ELECMEC RIGID SUSP 250MM GR. ACC. ELECMEC RIGID SUSP 500MM GR.

ACC. ELECMEC RIGID SUSP 1000MM GR.



Product code: SUCARG0100W SUCARG0250W SUCARG0500W SUCARG1000W

Description:

ACC. ELECMEC RIGID SUSP 100MM WH. ACC. ELECMEC RIGID SUSP 250MM WH. ACC. ELECMEC RIGID SUSP 500MM WH. ACC. ELECMEC RIGID SUSP 1000MM WH.



Product code: SUEM2W3000NG

Description: ACC. DB ELECMEC SUSP GR.



SUEM2W3000NW

Description: ACC. DB ELECMEC SUSP WH.

