KOMBIC 200 SURFACE

K32SF4020OP830NRB



KOMBIC 200 G2 SF 4000 IP20 WW OP BR/BK


Description:

Round recessed downlight KOMBIC 200 G2 SF 4000 Reflector made of recycled polycarbonate. Inner reflector finished in bright metallized. Elliptical optic option is the perfect choice for lighting walkways and longitudinal areas such as counters or areas adjacent to work areas. This product allows for increased spacing between luminaires, reducing the effect of residual light on walls and providing a pleasant atmosphere in the space. Heatsink made of die-cast aluminium with black finish. COB LED, colour temperature 3000K and CRI80. Electronic ON OFF gear included. IP44 rated. Insulation Class II. Photobiological safety group 0. LED life time: 71.000 L80 B10. Available finishes: White and black.Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

BRILLIANT METALLIC POLYCARBONATE Finish:

Weight: 1.479 g

Installation: Surface



TECHNICAL SPECIFICATIONS:

Light output: 3.025 lm °K: 3000 Plum: 24,1W CRI: 80 Efficacy: 125,5 lm/w 3 MacAdam:

UGR: <19 Power Supply: 220-240V 50/60Hz

Type: СОВ Gear: Electronic

21,5W Power:

Light output tolerance +/- 10%

CLASE

LED Lifetime:



















71.000 L80 B10 (Ta=25°C)





CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU

















KOMBIC 200 SURFACE




K32SF4020OP830NRB


KOMBIC 200 G2 SF 4000 IP20 WW OP BR/BK


PHOTOMETRIC DATA:

$$\label{eq:control_max} \begin{split} \text{K32SF4020OP830NRB} \\ \eta &= 100\% \\ \text{Imax} &= 1091 \text{ cd/klm} \end{split}$$

UTE: 1,00A CIE: 85 100 100 100 100







Product datasheet

KOMBIC 200 SURFACE



ACCESORIES:

Assembly



Product code:

K3SUCOW

Description:

KOMBIC 200 SF ACC. COVER

ACCESORIES:

Suspension



Product code:

SUCARG0100G SUCARG0250G SUCARG0500G SUCARG1000G

Description:

ACC. ELECMEC RIGID SUSP 100MM GR.
ACC. ELECMEC RIGID SUSP 250MM GR.
ACC. ELECMEC RIGID SUSP 500MM GR.
ACC. ELECMEC RIGID SUSP 1000MM GR.



Product code:

SUCARG0100W SUCARG0250W SUCARG0500W SUCARG1000W

Description:

ACC. ELECMEC RIGID SUSP 100MM WH.

ACC. ELECMEC RIGID SUSP 250MM WH.

ACC. ELECMEC RIGID SUSP 500MM WH.

ACC. ELECMEC RIGID SUSP 1000MM WH.



Product code:

SUEM2W3000NG

Description:

ACC. DB ELECMEC SUSP GR.



Product code:

SUEM2W3000NW

Description:

ACC. DB ELECMEC SUSP WH.