KOMBIC 200 SURFACE

K32SF4020OP840NRW



KOMBIC 200 G2 SF 4000 IP20 NW OP BR/WH

Description:

Round recessed downlight KOMBIC 200 G2 SF 4000 Reflector made of recycled polycarbonate. Inner reflector finished in bright metallized. Elliptical optic option is the perfect choice for lighting walkways and longitudinal areas such as counters or areas adjacent to work areas. This product allows for increased spacing between luminaires, reducing the effect of residual light on walls and providing a pleasant atmosphere in the space. Heatsink made of die-cast aluminium with black finish. COB LED, colour temperature 4000K and CRI80.Electronic ON OFF gear included. IP44 rated. Insulation Class II. Photobiological safety group 0. LED life time: 71.000 L80 B10. Available finish: White Environmental Product Declaration - EPD®available, according to UNE-EN ISO 9001:2015 and UNE-EN ISO 14001:2015.

BRILLIANT METALLIC POLYCARBONATE Finish:

Weight: 1.479 g

Installation: Surface



TECHNICAL SPECIFICATIONS:

Light output: 3.195 lm °K: 4000 Plum: 24,1W CRI: 80 Efficacy: 132,6 lm/w 3 MacAdam:

UGR: <19 Power Supply: 220-240V 50/60Hz

Type: СОВ Gear: Electronic

71.000 L80 B10 (Ta=25°C)

21,5W Power:

LED Lifetime:

Light output tolerance +/- 10%

CLASE





















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU





















KOMBIC 200 SURFACE




K32SF4020OP840NRW


KOMBIC 200 G2 SF 4000 IP20 NW OP BR/WH


PHOTOMETRIC DATA:


 $\label{eq:k32SF4020OP840NRW} $\eta = 100\%$$ Imax = 1091 cd/klm$$ UTE: 1,00A$

CIE: 85 100 100 100 100









Product datasheet

KOMBIC 200 SURFACE



ACCESORIES:

Assembly



Product code:

K3SUCOW

Description:

KOMBIC 200 SF ACC. COVER

ACCESORIES:

Suspension



Product code:

SUCARG0100G SUCARG0250G SUCARG0500G SUCARG1000G

Description:

ACC. ELECMEC RIGID SUSP 100MM GR.
ACC. ELECMEC RIGID SUSP 250MM GR.
ACC. ELECMEC RIGID SUSP 500MM GR.
ACC. ELECMEC RIGID SUSP 1000MM GR.



Product code:

SUCARG0100W SUCARG0250W SUCARG0500W SUCARG1000W

Description:

ACC. ELECMEC RIGID SUSP 100MM WH.

ACC. ELECMEC RIGID SUSP 250MM WH.

ACC. ELECMEC RIGID SUSP 500MM WH.

ACC. ELECMEC RIGID SUSP 1000MM WH.



Product code:

SUEM2W3000NG

Description:

ACC. DB ELECMEC SUSP GR.



Product code:

SUEM2W3000NW

Description:

ACC. DB ELECMEC SUSP WH.