Product datasheet

LUP

LW170DI10WF30NB



LUP WALL Ø70 DIR/INDIR 1300 WW WFL BK.

Description:

Apply to attach to the wall. LUP WALL \emptyset 70 DIR/INDIR 1300 WW WFL BK., LAMP brand. Body made in extruded recycled aluminum with a rate of 80%., painted in black. Model for LED COB. With 3000K color temperature, CRI 80 and built-in electronic equipment. Hight purity aluminium reflector direct-indirect Wide Flood. With a degree of protection IP65, IK06. Insulation class I. Lifetime: 50.000 L80 B10

Finish: Texturised black RAL 9011

Weight: 1.430 g

Installation: Wall mounted



TECHNICAL SPECIFICATIONS:

Light output: 967 lm °K: 3000 Plum: 10,1W CRI: 80 Efficacy: 95,7 lm/w 3 MacAdam:

Type: СОВ Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L90 B10 (Ta=25°C) Gear: Electronic

8W Power:

Light output tolerance +/- 10%































CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU



















LUP WALL Ø70 DIR/INDIR 1300 WW WFL BK.

PHOTOMETRIC DATA:

LW170DI10WF30NB η = 100% Imax = 530 cd/klm UTE: 0,50A + 0,50T CIE: 91 99 100 50 100





