MODULAR LIGHTAIR

MCA1121235PR830DW



MOD CUSTOM AIR 120x12 3400 WW PR DA WH

Description:

LAMP MODULAR CUSTOM AIR recessed 1200x120 format. Return air-specific model of the family. Slots for air extraction with return to plenum with a capacity of 453l/sg - 190,8m3/h. Custom option: adaptable to any installation, technical ceiling, finish or technical aspects by the needs of the project. Made of steel, prismatic diffuser of translucent polycarbonate and an optical film to control light distribution and reduce glare UGR <19. Model for MID-POWER LED, 3000K colour temperature and IRC 80. Control DALI gear included. With a protection rating of IP23. Insulation class I. Photobiological safety group 0. Lifetime: 50.000 L80 B10.



Finish: Matte white RAL 9010 1.200 x 120 x 72,8 mm Dimensions:

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output: 2.553 lm °K: 3000 Plum: 31W CRI: 80 Efficacy: 82,4 lm/w 3 MacAdam:

UGR: <19 Power Supply: 220-240V 50/60Hz Type: MID POWER Gear: Adjustable DALI

LED Lifetime: 50.000 L80 B10 (Ta=25°C)

Power:

Light output tolerance +/- 10%





























CUSTOM MADE OPTIONS:



















MODULAR LIGHTAIR



MCA1121235PR830DW

MOD CUSTOM AIR 120x12 3400 WW PR DA WH

PHOTOMETRIC DATA:





