

FLUT 180

MF235AS740NG



FLUT 180 G2 3500 NW ASYM GR.

Description:


Surface mounting outdoor luminaire model MINI FLUT G2 3600 NW ASYM GR., LAMP brand. Manufactured in aluminium injection body lacquered in texturized grey colour and serigraphed tempered glass. Made of AISI304 inox steel bended axle. Body's low height of 60mm. Model for HI-POWER LED, neutral white colour and control gear included. With asymmetric optics. IP66, IK06 protection rating. Insulation class I. Its axle allows swivels between 90° and -30°.

Finish: Texturised grey

Weight: 4.104 g

Maximum surface exposed to wind: 0.04 M2


Installation: Surface



TECHNICAL SPECIFICATIONS:

Light output:	2.877 lm	°K :	4000
Plum:	25,5W	CRI :	70
Efficacy:	112,8 lm/w	MacAdam:	4
Type:	HIGH POWER PHILIPS	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L90 B10	Gear:	Electronic
Power:	23W		

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:




FLUT 180

MF235AS740NG

FLUT 180 G2 3500 NW ASYM GR.

PHOTOMETRIC DATA :



ACCESORIES :

Support




Product code:
COARDB120A
COARIN120A

Description:
ACC. CO ARM DB 120-130 ANT.
ACC. CO ARM IND 120-130 ANT.



Product code:
COARDB120G
COARIN120G

Description:
ACC. CO ARM DB 120-130 GR.
ACC. CO ARM IND 120-130 GR.



Product code:
COARIN060A

Description:
ACC. CO ARM IND 60-135 ANT.




Product code:
COARIN060G

Description:
ACC. CO ARM IND 60-135 GR.

ACCESORIES :

Optical



Product code:
MFLOASB

Description:
FLUT 180 ACC. ASYM. ANTIGLARE LOUVRES