
FLUT 180

MF235SY730NA



FLUT 180 G2 3500 WW SYM ANT.

Description:

Surface mounting outdoor luminaire model MINI FLUT G2 3500 WW SYM ANT. ,LAMP brand. Manufactured in aluminium injection body lacquered in anthracite colour and serigraphed tempered glass. Made of AISI304 inox steel bended axle. Body's low height of 60mm. Model for HI-POWER LED, warm white colour and control gear included. With symmetric Wide Flood optics. IP66, IK06 protection rating. Insulation class I. Its axle allows swivels between 90° and -30°.

Finish: Textured anthracite

Weight: 4.104 g

Maximum surface exposed to wind: 0.04 M2

Installation: Surface



TECHNICAL SPECIFICATIONS:

Light output: 3.263 lm °K: 3000 Plum: 25,5W CRI: 70 Efficacy: 128 lm/w 4 MacAdam:

Type: HIGH POWER PHILIPS Power Supply: 220-240V 50/60Hz

LED Lifetime: 50.000 L90 B10 Gear: Electronic

23W Power:

Light output tolerance +/- 10%























CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU











































FLUT 180










PHOTOMETRIC DATA:

MF235SY730NA $\eta = 100\%$ $Imax = 1530 \ cd/klm$ UTE: 1,00A

CIE: 89 97 100 100 100







FLUT 180



ACCESORIES:

Support



Product code: COARDB120A COARIN120A

Description:

ACC. CO ARM DB 120-130 ANT.

ACC. CO ARM IND 120-130 ANT.



Product code:

COARDB120G COARIN120G

Description:

ACC. CO ARM DB 120-130 GR. ACC. CO ARM IND 120-130 GR.



Product code: COARIN060A

Description:

ACC. CO ARM IND 60-135 ANT.



Product code:

COARIN060G

Description:

ACC. CO ARM IND 60-135 GR.