FLUT 180

MF265AS730NA



FLUT 180 G2 6500 WW ASYM ANT.

Description:

Surface mounting outdoor luminaire model MINI FLUT G2 6500 WW ASYM ANT. ,LAMP brand. Manufactured in aluminium injection body lacquered in anthracite colour and serigraphed tempered glass. Made of AISI304 inox steel bended axle. Body's low height of 60mm. Model for HI-POWER LED, warm white colour and control gear included. With asymmetric optics. IP66, IK06 protection rating. Insulation class I. Its axle allows swivels between 90° and -30°.

Finish: Textured anthracite

Weight: 4.104 g

Maximum surface exposed to wind: 0.04 M2

Installation: Surface



TECHNICAL SPECIFICATIONS:

Light output: 4.990 Im °K: 3000 Plum: 48,7W CRI: 70 Efficacy: 102,4 lm/w 4 MacAdam:

Type: HIGH POWER PHILIPS Power Supply: 220-240V 50/60Hz

LED Lifetime: 60.000 L80 B10 Gear: Electronic

44W Power:

Light output tolerance +/- 10%























CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU



























FLUT 180




FLUT 180 G2 6500 WW ASYM ANT.



PHOTOMETRIC DATA:





alpha = 143,1°	H (m)	D (m)	Emax	Emed
	1	5,99	1436	172
	2	11,99	359	43
	3	17,98	160	19
	4	23,98	90	11

Product datasheet

FLUT 180



ACCESORIES:

Support



Product code: COARDB120A COARIN120A



ACC. CO ARM DB 120-130 ANT.

ACC. CO ARM IND 120-130 ANT.



Product code:

COARDB120G COARIN120G



ACC. CO ARM DB 120-130 GR. ACC. CO ARM IND 120-130 GR.



Product code: COARIN060A

Description:

ACC. CO ARM IND 60-135 ANT.



Product code:

COARIN060G

Description:

ACC. CO ARM IND 60-135 GR.

ACCESORIES:

Optical



Product code:

Description:

MFLOASB FLUT 180 ACC. ASYM. ANTIGLARE LOUVRES