


MK2RD20830NMAW



MINI KOMBIC G2 RD 1800 WW MA/WH.

Description:

Round recessed downlight model MINI KOMBIC G2 RD 1800 WW MA/WH LAMP brand. Interior diffuser made of opal mEthacrylate specially for LED and matt metallic reflector, injection aluminium dissipator and TOR KIT type easy-fit fastening system. Model for COB LED, with warm white colour temperature and control gear included. IP44 protection rating. Insulation class II. Photobiological safety group 0.

Finish: Shiny white RAL 9010


Weight: 602 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	1.230 lm	°K :	3000
Plum:	13,4W	CRI :	80
Efficacy:	91,8 lm/w	MacAdam:	3
UGR:	19	Power Supply:	220-240V 50/60Hz
Type:	COB PHILIPS	Gear:	Electronic
LED Lifetime:	50.000 L80 B10		
Power:	12W		


Light output tolerance +/- 10%




MK2RD20830NMAW

MINI KOMBIC G2 RD 1800 WW MA/WH.


PHOTOMETRIC DATA :



ACCESORIES :
Optical




Product code: MKDIRD170B
Description: MINI KOMBIC ACC. TRANSP GLASS BK.




Product code: MKDIRD170G
Description: MINI KOMBIC ACC. TRANSP GLASS GR.



Product code: MKDIRD170W
Description: MINI KOMBIC ACC. TRANSP GLASS WH.



Product code: MKRIRD170B
Description: MINI KOMBIC ACC. DECO RING BK.



Product code: MKRIRD170G
Description: MINI KOMBIC ACC. DECO RING GR.



Product code: MKRIRD170W
Description: MINI KOMBIC ACC. DECO RING WH.