



MK2RD25830DMAW

**MINI KOMBIC G2 RD 2700 WW DALI MA/WH.****Description:****Finish:** Shiny white RAL 9010**Weight:** 602 g**Installation:** Recessed**TECHNICAL SPECIFICATIONS:**


Light output:	1.683 lm	°K :	3000
Plum:	19,1W	CRI :	80
Efficacy:	88,1 lm/w	MacAdam:	3
Type:	COB PHILIPS	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L80 B10	Gear:	Adjustable DALI
Power:	17W		

Light output tolerance +/- 10%


MK2RD25830DMAW

MINI KOMBIC G2 RD 2700 WW DALI MA/WH.


PHOTOMETRIC DATA :



ACCESORIES :
Optical




Product code: MKDIRD170B
Description: MINI KOMBIC ACC. TRANSP GLASS BK.




Product code: MKDIRD170G
Description: MINI KOMBIC ACC. TRANSP GLASS GR.



Product code: MKDIRD170W
Description: MINI KOMBIC ACC. TRANSP GLASS WH.



Product code: MKRIRD170B
Description: MINI KOMBIC ACC. DECO RING BK.



Product code: MKRIRD170G
Description: MINI KOMBIC ACC. DECO RING GR.



Product code: MKRIRD170W
Description: MINI KOMBIC ACC. DECO RING WH.