


MK2RD25840NBRW

**MINI KOMBIC G2 RD 2700 NW BR/WH.****Description:**


Round recessed downlight model MINI KOMBIC G2 RD 2700 NW BR/WH , LAMP brand. Interior diffuser made of opal methacrylate specially for LED and bright metallic reflector, injection aluminium dissipator and TOR KIT type easy-fit fastening system. Model for COB LED, with neutral white colour temperature and control gear included. IP44 protection rating. Insulation class II. Photobiological safety group 0.

Finish: Shiny white RAL 9010

Weight: 602 g

Installation: Recessed
TECHNICAL SPECIFICATIONS:


Light output:	1.916 lm	°K :	4000
Plum:	19,1W	CRI :	80
Efficacy:	100,3 lm/w	MacAdam:	3
Type:	COB PHILIPS	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L80 B10	Gear:	Electronic
Power:	17W		

Light output tolerance +/- 10%


MK2RD25840NBRW


MINI KOMBIC G2 RD 2700 NW BR/WH.

PHOTOMETRIC DATA :



ACCESORIES :

Optical



Product code:

MKDIRD170B

Description:

MINI KOMBIC ACC. TRANSP GLASS BK.



Product code:

MKDIRD170G

Description:

MINI KOMBIC ACC. TRANSP GLASS GR.



Product code:

MKDIRD170W

Description:

MINI KOMBIC ACC. TRANSP GLASS WH.




Product code:

MKRIRD170B

Description:

MINI KOMBIC ACC. DECO RING BK.



Product code:

MKRIRD170G

Description:

MINI KOMBIC ACC. DECO RING GR.



Product code:

MKRIRD170W

Description:

MINI KOMBIC ACC. DECO RING WH.