



MK2RD35830NBRW

**MINI KOMBIC G2 RD 3600 WW BR/WH.****Description:**

Round recessed downlight model MINI KOMBIC G2 RD 3600 WW BR/WH, LAMP brand. Interior diffuser made of opal methacrylate specially for LED and bright metallic reflector, injection aluminium dissipator and TOR KIT type easy-fit fastening system. Model for COB LED, with warm white colour temperature and control gear included. IP44 protection rating. Insulation class II. Photobiological safety group 0.

Finish: Shiny white RAL 9010**Weight:** 692 g**Installation:** Recessed**TECHNICAL SPECIFICATIONS:**


Light output:	2.429 lm	°K :	3000
Plum:	27,9W	CRI :	80
Efficacy:	87,1 lm/w	MacAdam:	3
Type:	COB PHILIPS	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L80 B10	Gear:	Electronic
Power:	25W		

Light output tolerance +/- 10%


MK2RD35830NBRW

MINI KOMBIC G2 RD 3600 WW BR/WH.


PHOTOMETRIC DATA :



ACCESORIES :
Optical




Product code: MKDIRD170B
Description: MINI KOMBIC ACC. TRANSP GLASS BK.




Product code: MKDIRD170G
Description: MINI KOMBIC ACC. TRANSP GLASS GR.



Product code: MKDIRD170W
Description: MINI KOMBIC ACC. TRANSP GLASS WH.



Product code: MKRIRD170B
Description: MINI KOMBIC ACC. DECO RING BK.



Product code: MKRIRD170G
Description: MINI KOMBIC ACC. DECO RING GR.



Product code: MKRIRD170W
Description: MINI KOMBIC ACC. DECO RING WH.