

MINI KOMBIC SQUARE

MK2SQ25840DBRW




MINI KOMBIC G2 SQ 2700 NW DALI BR/WH.

Description:

Finish: Shiny white RAL 9010

Weight: 630 g


Installation: Recessed



TECHNICAL SPECIFICATIONS:

Light output:	1.516 lm	°K :	4000
Plum:	19,1W	CRI :	80
Efficacy:	79,4 lm/w	MacAdam:	3
Type:	COB PHILIPS	Power Supply:	220-240V 50/60Hz
LED Lifetime:	50.000 L80 B10	Gear:	Adjustable DALI
Power:	17W		


Light output tolerance +/- 10%



MK2SQ25840DBRW


MINI KOMBIC G2 SQ 2700 NW DALI BR/WH.

PHOTOMETRIC DATA :



ACCESORIES :

Optical




Product code:
MKDISQ170B

Description:
MINI KOMBIC SQ ACC. TRANSP GLASS BK.




Product code:
MKDISQ170W

Description:
MINI KOMBIC SQ ACC. TRANSP GLASS WH.



Product code:
MKFRSQ170B

Description:
MINI KOMBIC SQ ACC. DECO FRAME BK.



Product code:
MKFRSQ170W

Description:
MINI KOMBIC SQ ACC. DECO FRAME WH.