



ML20604020TE830NW



x = A - 20 mm
y = L - 20 mm

MOD. SLIM G2 600 5000 IP20 WW TECH WH.

Description:

Recessed luminaire model MOD. SLIM G2 600 5000 IP20 WW TECH WH., LAMP brand. Made of white-lacquered steel sheet. Model for MID-POWER LED, warm white colour temperature and control gear included. With high visual comfort parabolic reflector, made of high purity shiny aluminium and an interior opal diffuser. Insulation class I.

Finish: Satin white


Weight: 3.500 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	3.590 lm	°K :	3000
Plum:	35W	CRI :	80
Efficacy:	103 lm/w	MacAdam:	3
UGR:	18	Power Supply:	110-277V 50/60Hz
Type:	MID POWER LED	Gear:	Electronic
LED Lifetime:	50.000 L80 B10 (Ta=25°C)		
Power:	32W		


Light output tolerance +/- 10%



ML20604020TE830NW

MOD. SLIM G2 600 5000 IP20 WW TECH WH.

PHOTOMETRIC DATA :



ACCESORIES :

Support



Product code:

MLREFX

Description:

MOD. SLIM RECESSED FIXATION ACC.