Product datasheet

MINI SHOT LED


MN215SP840NA



SHOT 120 G2 1500 NW SP ANT.

Description:

Outdoor spotlight model MINI SHOT LED 1500, LAMP brand. Made of lacquered aluminium injection with electro coating treatment and tempered glass, stainless steel screws and silicone joints. Model for LED HI-POWER, 4000K colour temperature, CRI 80 and control gear included. With Spot optics. IP65, IK06 protection rating. Insulation class II. Lifetime: 60. 000 L90B10. BUG Rate: B0 U0 G0, ULOR: 0%. Available finishes: anthracite and textured grey



Finish: Textured anthracite

Weight: 3.188 g

Installation: Surface

TECHNICAL SPECIFICATIONS:

Light output: 1.146 lm °K: 4000 Plum: 11,9W CRI: 80 Efficacy: 96,3 lm/w 3 MacAdam:

Type: HIGH POWER LED Power Supply: 220-240V 50/60Hz

LED Lifetime: 60.000 L90 B10 (Ta=25°C) Gear: Electronic

10W Power:

Light output tolerance +/- 10%































CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU






















MINI SHOT LED





MN215SP840NA


SHOT 120 G2 1500 NW SP ANT.

PHOTOMETRIC DATA:









Product datasheet

MINI SHOT LED



ACCESORIES:

Optical



Product code:

Description:

MSSC134B

SHOT 120 ACC. ANTIGLARE SCREEN.