


MINI SHOT LED

MN230SP830NG



SHOT 120 G2 2900 WW SP GR.

Description:

Outdoor spotlight model SHOT 120 2900, LAMP brand. Made of texturised gris lacquered aluminium injection with electro coating treatment and tempered glass, stainless steel screws and silicone joints. Model for LED HI-POWER, 3000K colour temperature, CRI 80 and control gear included. With Spot optics. IP65, IK06 protection rating. Insulation class II. Lifetime: 60.000 L90B10. BUG Rate: B0 U0 G0, ULOR: 0%. Available finishes: anthracite and textured grey


Finish: Texturised grey

Weight: 3.212 g

Installation: Surface

TECHNICAL SPECIFICATIONS:

Light output:	2.215 lm	°K :	3000
Plum:	23W	CRI :	80
Efficacy:	96,3 lm/w	MacAdam:	3
Type:	HIGH POWER LED	Power Supply:	220-240V 50/60Hz
LED Lifetime:	60.000 L90 B10 (Ta=25°C)	Gear:	Electronic
Power:	20W		

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



MN230SP830NG

SHOT 120 G2 2900 WW SP GR.

PHOTOMETRIC DATA :



ACCESORIES :

Optical



Product code:

MSSC134B

Description:

SHOT 120 ACC. ANTIGLARE SCREEN.