Product datasheet

MINI SHOT LED


MN240MF840NG



SHOT 120 G2 3800 NW MFL GR.

Description:

Outdoor spotlight model SHOT 120 3800, LAMP brand. Made of texturised gris lacquered aluminium injection with electro coating treatment and tempered glass, stainless steel screws and silicone joints. Model for LED HI-POWER, 4000K colour temperature, CRI 80 and control gear included. With Medium Flood optics. IP65, IK06 protection rating. Insulation class II. Lifetime: 60. 000 L90B10. BUG Rate: B0 U0 G0, ULOR: 0%. Available finishes: anthracite and textured grey



Finish: Texturised grey

Weight: 3.212 g

Installation: Surface

TECHNICAL SPECIFICATIONS:

Light output: 2.937 Im °K: 4000 Plum: 33,5W CRI: 80 Efficacy: 87,7 lm/w 3 MacAdam:

Type: HIGH POWER LED Power Supply: 220-240V 50/60Hz

LED Lifetime: 60.000 L90 B10 (Ta=25°C) Gear: Electronic

30W Power:

Light output tolerance +/- 10%







































CUSTOM MADE OPTIONS:





























+34937366800


MINI SHOT LED





MN240MF840NG

SHOT 120 G2 3800 NW MFL GR.

PHOTOMETRIC DATA:







Product datasheet

MINI SHOT LED



ACCESORIES:

Optical



Product code:

Description:

MSSC134B

SHOT 120 ACC. ANTIGLARE SCREEN.