#### **Product datasheet**

#### **MINI SHOT LED**


#### MN240SP830NA



#### SHOT 120 G2 3800 WW SP ANT.

#### Description:

Outdoor spotlight model SHOT 120 3800, LAMP brand. Made of lacquered aluminium injection with electro coating treatment and tempered glass, stainless steel screws and silicone joints. Model for LED HI-POWER, 3000K colour temperature, CRI 80 and control gear included. With Spot optics. IP65, IK06 protection rating. Insulation class II. Lifetime: 60. 000 L90B10. BUG Rate: B0 U0 G0, ULOR: 0%. Available finishes: anthracite and textured grey



Finish: Textured anthracite

Weight: 3.212 g

Installation: Surface

#### **TECHNICAL SPECIFICATIONS:**

Light output: 3.032 lm °K: 3000 Plum: 33,5W CRI: 80 Efficacy: 90,5 lm/w 3 MacAdam:

Type: HIGH POWER LED Power Supply: 220-240V 50/60Hz

LED Lifetime: 60.000 L90 B10 (Ta=25°C) Gear: Electronic

30W Power:

#### Light output tolerance +/- 10%





























# **CUSTOM MADE OPTIONS:**





























# **MINI SHOT LED**





MN240SP830NA

### SHOT 120 G2 3800 WW SP ANT.

### PHOTOMETRIC DATA:

MN240SP830NA  $\eta$  = 99% Imax = 15011 cd/klm UTE:





alpha = 11,4°	H (m)	D (m)	Emax	Emed
$\bigwedge$	1	0,20	45195	30094
	2	0,40	11299	7523
	3	0,60	5022	3344
	4	0,80	2825	1881

### **Product datasheet**

# **MINI SHOT LED**



ACCESORIES:

Optical



Product code:

Description:

MSSC134B

SHOT 120 ACC. ANTIGLARE SCREEN.