


MINI SHOT LED

MN2BJ15SP830NA



SHOT 120 G2 BJ 1500 WW SP ANT.

Description:

Outdoor spotlight model SHOT 120 1500 WW SP, LAMP brand, for installation in columns of ø60-127. Made of lacquered aluminium injection with electro coating treatment and tempered glass, stainless steel screws and silicone joints. Model for LED HI-POWER, 3000K colour temperature, CRI 80 and control gear included. With Spot optics. IP65, IK06 protection rating. Insulation class II. Lifetime: 60.000 L90B10. BUG Rate: B0 U0 G0, ULOR: 0%. Available finishes: anthracite and textured grey.

Finish: Textured anthracite


Weight: 2.792 g

Installation: Surface

TECHNICAL SPECIFICATIONS:

| | | | |
|---------------|--------------------------|---------------|------------------|
| Light output: | 1.146 lm | °K : | 3000 |
| Plum: | 13,2W | CRI : | 80 |
| Efficacy: | 86,8 lm/w | MacAdam: | 3 |
| Type: | HIGH POWER LED | Power Supply: | 220-240V 50/60Hz |
| LED Lifetime: | 60.000 L90 B10 (Ta=25°C) | Gear: | Electronic |
| Power: | 10W | | |

Light output tolerance +/- 10%




CUSTOM MADE OPTIONS:



MN2BJ15SP830NA

SHOT 120 G2 BJ 1500 WW SP ANT.

PHOTOMETRIC DATA :



ACCESORIES :

Optical



Product code:

MSSC134B

Description:

SHOT 120 ACC. ANTIGLARE SCREEN.