

MINI SHOT LED

MN2BJ15SP840NG




SHOT 120 G2 BJ 1500 NW SP GR.

Description:

Outdoor spotlight model SHOT 120 1500 NW SP, LAMP brand, for installation in columns of $\varnothing 60-127$. Made of lacquered aluminium injection with electro coating treatment and tempered glass, stainless steel screws and silicone joints. Model for LED HI-POWER, 4000K colour temperature, CRI 80 and control gear included. With Spot optics. IP65, IK06 protection rating. Insulation class II. Lifetime: 60.000 L90B10. BUG Rate: B0 U0 G0, ULOR: 0%. Available finishes: anthracite and textured grey.


Finish: Texturised grey

Weight: 2.792 g

Installation: Surface


TECHNICAL SPECIFICATIONS:

Light output:	1.146 lm	°K :	4000
Plum:	13,2W	CRI :	80
Efficacy:	86,8 lm/w	MacAdam:	3
Type:	HIGH POWER LED	Power Supply:	220-240V 50/60Hz
LED Lifetime:	60.000 L90 B10 (Ta=25°C)	Gear:	Electronic
Power:	10W		

Light output tolerance +/- 10%


CUSTOM MADE OPTIONS:




MINI SHOT LED

MN2BJ15SP840NG

SHOT 120 G2 BJ 1500 NW SP GR.

PHOTOMETRIC DATA :



ACCESORIES :

Optical



Product code:

MSSC134B

Description:

SHOT 120 ACC. ANTIGLARE SCREEN.