


## MINI SHOT LED

MN2BJ30SP830NA



## SHOT 120 G2 BJ 2900 WW SP ANT.

## Description:

Outdoor spotlight model SHOT 120 2900 WW SP, LAMP brand, for installation in columns of ø60-127. Made of lacquered aluminium injection with electro coating treatment and tempered glass, stainless steel screws and silicone joints. Model for LED HI-POWER, 3000K colour temperature, CRI 80 and control gear included. With Spot optics. IP65, IK06 protection rating. Insulation class II. Lifetime: 60.000 L90B10. BUG Rate: B0 U0 G0, ULOR: 0%. Available finishes: anthracite and textured grey.

Finish: Textured anthracite


Weight: 2.816 g

Installation: Surface

## TECHNICAL SPECIFICATIONS:

Light output:	2.215 lm	°K :	3000
Plum:	23W	CRI :	80
Efficacy:	96,3 lm/w	MacAdam:	3
Type:	HIGH POWER LED	Power Supply:	220-240V 50/60Hz
LED Lifetime:	60.000 L90 B10 (Ta=25°C)	Gear:	Electronic
Power:	20W		

Light output tolerance +/- 10%




## CUSTOM MADE OPTIONS:



MN2BJ30SP830NA

SHOT 120 G2 BJ 2900 WW SP ANT.

PHOTOMETRIC DATA :



---

**ACCESORIES :**

**Optical**



**Product code:**

MSSC134B

**Description:**

SHOT 120 ACC. ANTIGLARE SCREEN.