Product datasheet

MINI PUZZLE

Worktitude for light

MP11SQ07MF8300W



MINI PUZZLE IND LED 600 WW FL WH.

Description:

Adjustable individualRecessed downlight model MINI PUZZLE IND LED 600 WW FL WH., LAMP brand. Made of white enamelled sheet and multi-directional ring made of injected aluminium. Gimbal system multidirectional. Model for LED COB, with warm white colour te mperature. With Flood facetted aluminium reflector. Insulation class III. Electronic equipement not included(350mA).



Finish: Matte white RAL 9010

Weight: 480 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output: 685 lm **°K**: 3000

CRI: 80

Type: COB VOSSLOH MacAdam: 3

LED Lifetime: 50.000 L90 B20 Power Supply: 350mA DC

Power: 6W **Gear:** Without gear (requires external gear)

Light output tolerance +/- 10%





















Data according to regulations 2019/2020/EU and 2019/2015/EU

MINI PUZZLE







PHOTOMETRIC DATA:

MP11SQ07MF8300W


4941510 η = 100% Imax = 1864 cd/klm UTE: 1,00A

CIE: 95 99 100 100 100





MINI PUZZLE IND LED 600 WW FL WH.



Product datasheet

MINI PUZZLE



ACCESORIES:

Optical



Product code: Description:

4900500 MINI PUZZLE ACC. HONEYCOMB GRILLE WH.

ACCESORIES:

Adjustment and control



Product code: Description:

DRV2015350A DRIVER 15W 350mA 110-240V 50-60Hz 1-10V

DRV2015350D DRIVER 15W 350mA 110-240V 50-60Hz DALI



Product code: Description:

DRV209350T ACC. DRIVER 9W 350MA 220-240V TR IND

MINI PUZZLE



