


MP1201501-70-30

**PUCK XT CURVED 3000K ONE SIDE 1.5W****Description:**

Puck XT LED luminaire by WILA 1.5W suitable for round handrail, 38-100mm Diameter, with one-sided symmetrical light distribution, warm white (3000K). D=18mm with 1mm thread, made of stainless steel, with polycarbonate lens, IP66, curved face, wall thickness >1.5mm.

**Finish:** Stainless steel AISI 316**Dimensions:** Ø 18 mm x 15 mm**Weight:** 16 g**Installation:** Recessed**TECHNICAL SPECIFICATIONS:****Light output:** 169 lm**°K :** 3000**Efficacy:** 113 lm/w**CRI :** 80**LED Lifetime:** 50.000 L90 B10 (Ta=25°C)**MacAdam:** 3**Power:** 1,5W**Power Supply:** 500mA**Gear:** Without gear (requires external gear)**Light output tolerance +/- 10%**

PHOTOMETRIC DATA :



PUCK

ACCESORIES :

Assembly



**Product code:**

MP-002

**Description:**

PUCK CRIMP PLIERS/TOOL



**Product code:**

MP-003

**Description:**

GEL CONNECTORS (2 REQUIRED PER PUCK)



**Product code:**

MP-004

**Description:**

LOCTITE 243 10ML BOTTLE



**Product code:**


MP-011

**Description:**

PUCK XT ASYM INSERTION TOOL

ACCESORIES :

Adjustment and control



**Product code:**

MPPSU001D-SELV

**Description:**

PUCK XT DRV DALI-2 4-18 Pucks 500mA



**Product code:**

MPXTPSU002A500-D

**Description:**

PUCK XT DRV DALI 19-50 Pucks 500mA