

MP1201501-70-30

**PUCK XT 3000K ONE SIDE 1.5W****Description:**

Puck XT LED luminaire by WILA 1.5W suitable for round handrail, 38-100mm Diameter, with one-sided symmetrical light distribution, warm white (3000K). D=18mm with 1mm thread, made of stainless steel, with polycarbonate lens, IP66, curved face, wall thickness >1.5mm.

Finish: Stainless steel AISI 316

Weight: 16 g

Installation: Recessed

TECHNICAL SPECIFICATIONS:




Light output:	169 lm	°K :	3000
Efficacy:	113 lm/w	CRI :	80
LED Lifetime:	50.000 L90 B10 (Ta=25°C)	MacAdam:	3
Power:	1,5W	Power Supply:	500mA
		Gear:	Without gear (requires external gear)

Light output tolerance +/- 10%



PHOTOMETRIC DATA :

MP1201501-70-30
 $\eta = 95\%$
 $I_{max} = 726 \text{ cd/klm}$
UTE: 0,95D + 0,00T
CIE: 59 87 98 100 95



ACCESORIES :

Assembly



Product code:

MP-002

Description:

PUCK CRIMP PLIERS/TOOL



Product code:

MP-003

Description:

GEL CONNECTORS (2 REQUIRED PER PUCK)



Product code:

MP-004

Description:

LOCTITE 243 10ML BOTTLE



Product code:

MP-011

Description:

PUCK XT ASYM INSERTION TOOL

ACCESORIES :

Adjustment and control



Product code:

MPPSU001D-SELV

Description:

PUCK XT DRV DALI-2 4-18 Pucks 500mA SWI



Product code:

MPXTPSU002A500-D

Description:

PUCK XT DRV DALI 19-50 Pucks 500mA PROGR