#### **Product datasheet**

### **OCULT**



### **OD1RE1222MF830DBB**



### OCULT REC 12 2400 WW MFL DALI BK/BK.

### Description:

Fixed linear recessed downlight model OCULT REC 12 2400 WW MFL DALI BK/BK., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured black and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a warm white colour temperature and control DALI gear included. With Medium Flood optics. Glare rating UGR<10 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised black RAL 9011

Weight: 1.136 g



Installation: Recessed

### **TECHNICAL SPECIFICATIONS:**

Light output: 2.160 lm °K: 3000 Plum: 26,7W CRI: 80 Efficacy: 80,9 lm/w 3 MacAdam:

UGR: <10

Type: HIGH POWER LED Gear: Adjustable DALI

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

24W Power:

### Light output tolerance +/- 10%























# **CUSTOM MADE OPTIONS:**









Data according to regulations 2019/2020/EU and 2019/2015/EU












Power Supply:





120-240V 50/60Hz

# **OCULT**





### **PHOTOMETRIC DATA:**


OD1RE1222MF830DBB


OD1RE1222MF830NBB  $\eta = 100\%$   $Imax = 4606 \ cd/kIm$ 

imax = 4606 cd/ki

UTE:

CIE: 102 100 100 100 100





alpha = 24,9°	H (m)	D (m)	Emax	Emed
$\wedge$	1	0,44	9926	7142
	2	0,88	2482	1785
	3	1,32	1103	794
	4	1,76	620	446

Data according to regulations 2019/2020/EU and 2019/2015/EU

### **Product datasheet**

# **OCULT**



# ACCESORIES:

### Optical



Product code:

ODRF3C

Description:

OCULT ACC. REFLECTOR 3 CO.



Product code:

ODRF3M

Description:

OCULT ACC. REFLECTOR 3 MT.



Product code:

Description:

ODRF3W OCULT ACC. REFLECTOR 3 WH.