Product datasheet

OCULT



OD1RE1222MF840DBW



OCULT REC 12 2400 NW MFL DALI BK/WH.

Description:

Fixed linear recessed downlight model OCULT REC 12 2400 NW MFL DALI BK/WH., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured white and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a neutral white colour temperature and control DALI gear included. With Medium Flood optics. Glare rating UGR<10 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised white RAL 9010

Weight: 1.136 g



Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output: 2.160 lm °K: 4000 Plum: 26,7W CRI: 80 Efficacy: 80,9 lm/w 3 MacAdam:

UGR: <10

Type: HIGH POWER LED Gear: Adjustable DALI

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

24W Power:

Light output tolerance +/- 10%















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU











Power Supply:





120-240V 50/60Hz

OCULT




OD1RE1222MF840DBW

OCULT REC 12 2400 NW MFL DALI BK/WH.

PHOTOMETRIC DATA:

OD1RE1222MF840NBW η = 100% Imax = 4606 cd/klm UTE: CIE: 102 100 100 100 100



alpha = 24,9°	H (m)	D (m)	Emax	Emed
\wedge	1	0,44	10091	7261
	2	0,88	2523	1815
	3	1,32	1121	807
	4	1,76	631	454

Product datasheet

OCULT



ACCESORIES:

Optical



Product code:

ODRF3C

Description:

OCULT ACC. REFLECTOR 3 CO.



Product code:

ODRF3M

Description:

OCULT ACC. REFLECTOR 3 MT.



Product code:

Description:

ODRF3W OCULT ACC. REFLECTOR 3 WH.