Product datasheet

OCULT



OD1RE1222WF840DBB



OCULT REC 12 2400 NW WFL DALI BK/BK.

Description:

Fixed linear recessed downlight model OCULT REC 12 2400 NW WFL DALI BK/BK., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured black and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HIPOWER with a neutral white colour temperature and control DALI gear included. With Wide Flood optics. Glare rating UGR<16 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised black RAL 9011

Weight: 1.136 g



Installation: Recessed

TECHNICAL SPECIFICATIONS:

 Light output:
 2.196 lm
 % :
 4000

 Plum:
 26,7W
 CRI :
 80

 Efficacy:
 82,2 lm/w
 MacAdam:
 3

UGR: <16

Type: HIGH POWER LED

Type: HIGH POWER LED Gear:

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

Power: 24W

Light output tolerance +/- 10%















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU











Power Supply:





120-240V 50/60Hz

Adjustable DALI

OCULT







OCULT REC 12 2400 NW WFL DALI BK/BK.

PHOTOMETRIC DATA:

OD1RE1222WF840NBB $\eta = 100\%$ $Imax = 1615 \ cd/klm$ UTE:

CIE: 99 100 100 100 100





alpha = 47,2°	H (m)	D (m)	Emax	Emed
	1	0,87	3542	2299
	2	1,75	886	575
	3	2,62	394	255
	4	3,50	221	144

Product datasheet

OCULT



ACCESORIES:

Optical



Product code:

ODRF3C

Description:

OCULT ACC. REFLECTOR 3 CO.



Product code:

ODRF3M

Description:

OCULT ACC. REFLECTOR 3 MT.



Product code:

Description:

ODRF3W OCULT ACC. REFLECTOR 3 WH.