## **OCULT**

## OD1RE204MF830NBW



## OCULT REC 2 400 WW MFL BK/WH.


## Description:

Fixed linear recessed downlight model OCULT REC 2 400 WW MFL BK/ WH., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured white and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a warm white colour temperature and control gear included. Glare rating UGR<10 (for 4h, 8h 70/50/20). With Medium Flood optics. IP43 protection rating. Insulation class II.

Finish: Texturised white RAL 9010

Weight: 262 g

Installation: Recessed



## **TECHNICAL SPECIFICATIONS:**

Light output: 360 lm °K: 3000 Plum: 5W CRI: 80 Efficacy: 72 lm/w 3 MacAdam:

UGR: <10

HIGH POWER LED Type: Gear: Electronic

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

4W Power:

## Light output tolerance +/- 10%

















**CUSTOM MADE OPTIONS:** 











Data according to regulations 2019/2020/EU and 2019/2015/EU











Power Supply:





100-240V 50/60Hz

# **OCULT**






## OCULT REC 2 400 WW MFL BK/WH.

## PHOTOMETRIC DATA:

OD1RE204MF830NBW

OD1RE204MF830NBW  $\eta$  = 100% Imax = 4449 cd/klm Imax UTE: CIE: 102 100 100 100 100



alpha = 25,5°	H (m)	D (m)	Emax	Emed
$\wedge$	1	0,45	1599	1155
	2	0,90	400	289
	3	1,36	178	128
	4	1,81	100	72

## **Product datasheet**

# **OCULT**



# ACCESORIES:

## Optical



Product code:

ODRF2C

Description:

OCULT ACC. REFLECTOR 2 CO.



Product code:

ODRF2M

Description:

OCULT ACC. REFLECTOR 2 MT.



Product code:

Description:

ODRF2W OCULT ACC. REFLECTOR 2 WH.