Product datasheet

OCULT

OD1RE204MF840NBB




OCULT REC 2 400 NW MFL BK/BK.

Description:

Fixed linear recessed downlight model OCULT REC 2 400 NW MFL BK/ BK., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured black and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a neutral white colour temperature and control gear included. With Medium Flood optics. Glare rating UGR<10 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised black RAL 9011

Weight: 262 g



Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	360 lm	⁰K :	4000	
Eight output.		·n.	4000	
Plum:	5W	CRI :	80	
Efficacy:	72 lm/w	MacAdam:	3	
UGR:	<10	Power Supply:	100-240V 50/60Hz	
Туре:	HIGH POWER LED	Gear:	Electronic	
LED Lifetime:	50.000 L90 B10 (Ta=25°C)			
Power:	4W			

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light

Product datasheet

OCULT

OD1RE204MF840NBB

OCULT REC 2 400 NW MFL BK/BK.



OD1RE204MF840NBB	180°	alpha = 25,5°	H (m)	D (m)	Emax	Emed
η = 100% Imax = 4449 cd/klm		\land	1	0,45	1599	1155
UTE:	90° 90°		2	0,90	400	289
CIE: 102 100 100 100 100			3	1,36	178	128
	03		4	1,81	100	72

Worktitude for light

Product datasheet

OCULT



ACCESORIES :

Optical



Product code: ODRF2C

Description: OCULT ACC. REFLECTOR 2 CO.



Product code: ODRF2M

Description: OCULT ACC. REFLECTOR 2 MT.



Product code: ODRF2W Description: OCULT ACC. REFLECTOR 2 WH.