Product datasheet

OCULT

OD1RE204WF830NBW




OCULT REC 2 400 WW WFL BK/WH.

Description:

Fixed linear recessed downlight model OCULT REC 2 400 WW WFL BK/ WH., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured white and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a warm white colour temperature and control gear included. With Wide Flood optics. Glare rating UGR<16 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised white RAL 9010

Weight: 262 g



Installation: Recessed

TECHNICAL SPECIFICATIONS:

Light output:	366 lm	°K :	3000	
Plum:	5W	CRI :	80	
Efficacy:	73,2 lm/w	MacAdam:	3	
UGR:	<16	Power Supply:	100-240V 50/60Hz	
Туре:	HIGH POWER LED	Gear:	Electronic	
LED Lifetime:	50.000 L90 B10 (Ta=25ºC)			
Power:	4W			

Light output tolerance +/- 10%



CUSTOM MADE OPTIONS:



LAMP reserves the right to change the technical specifications of their products. These changes will allow the continual improvement of the products and will also ensure the conformity to current legal changes. Updated information is always available in our website www.lamp.es Worktitude for light

Product datasheet

OCULT

OD1RE204WF830NBW

OCULT REC 2 400 WW WFL BK/WH.



OD1RE204WF830NBW	180°	alpha = 45,3°	H (m)	D (m)	Emax	Emed
η = 100% Imax = 1657 cd/klm		\land	1	0,83	606	399
UTE:	90° 90°		2	1,67	152	100
CIE: 98 100 100 100 100			3	2,50	67	44
	0°		4	3,34	38	25

Worktitude for light

Product datasheet

OCULT



ACCESORIES :

Optical



Product code: ODRF2C

Description: OCULT ACC. REFLECTOR 2 CO.



Product code: ODRF2M

Description: OCULT ACC. REFLECTOR 2 MT.



Product code: ODRF2W Description: OCULT ACC. REFLECTOR 2 WH.