OCULT

OD1RE204WF840NBW



OCULT REC 2 400 NW WFL BK/WH.


Description:

Fixed linear recessed downlight model OCULT REC 2 400 NW WFL BK/ WH., LAMP brand. Body made of anodized aluminium to optimised heat dissipation. External frame made of injected aluminium painted in textured white and reflector made of ABS painted in black matt. With spring loaded clamping system. Model with LED HI-POWER with a neutral white colour temperature and control gear included. With Wide Flood optics. Glare rating UGR<16 (for 4h, 8h 70/50/20). IP43 protection rating. Insulation class II.

Finish: Texturised white RAL 9010

Weight: 262 g

Installation: Recessed



TECHNICAL SPECIFICATIONS:

Light output: 366 lm °K: 4000 Plum: 5W CRI: 80 Efficacy: 73,2 lm/w 3 MacAdam:

UGR: <16

Type: HIGH POWER LED Gear: Electronic

LED Lifetime: 50.000 L90 B10 (Ta=25°C)

4W Power:

Light output tolerance +/- 10%

















CUSTOM MADE OPTIONS:









Data according to regulations 2019/2020/EU and 2019/2015/EU











Power Supply:

100-240V 50/60Hz





OCULT




OCULT REC 2 400 NW WFL BK/WH.




PHOTOMETRIC DATA:

OD1RE204WF840NBW η = 100% Imax = 1657 cd/klm UTE:

CIE: 98 100 100 100 100





alpha = 45,3°	H (m)	D (m)	Emax	Emed
	1	0,83	606	399
	2	1,67	152	100
	3	2,50	67	44
	4	3,34	38	25

Data according to regulations 2019/2020/EU and 2019/2015/EU

Product datasheet

OCULT



ACCESORIES:

Optical



Product code:

ODRF2C

Description:

OCULT ACC. REFLECTOR 2 CO.



Product code:

ODRF2M

Description:

OCULT ACC. REFLECTOR 2 MT.



Product code:

Description:

ODRF2W OCULT ACC. REFLECTOR 2 WH.